

Discipline-wise Thesis Topic Data of MD/MS, batch 2023-26

35/c

| S.no. | DEPARTMENT | THESIS TOPICS |
|-------|-------------|---|
| 1 | ANAESTHESIA | COMPARISON OF THE HUNDRED PAISA PAIN SCALE WITH NUMERIC RATING SCALE, AND VERBAL RATING SCALE FOR POSTOPERATIVE PAIN ASSESSMENT IN PATIENTS UNDERGOING ABDOMINAL SURGERY |
| 2 | ANAESTHESIA | COMPARISON OF BODY MASS INDEX WITH ABDOMINAL CIRCUMFERENCE TO HEIGHT RATIO AS A PREDICTOR OF LEVEL OF SENSORY BLOCK IN PATIENTS UNDERGOING CAESAREAN SECTION UNDER SUB ARACHNOID BLOCK |
| 3 | ANAESTHESIA | COMPARISON OF THE EFFECT OF TWO PROPHYLACTIC DOSES OF TABLET MELATONIN ON INCIDENCE OF DELIRIUM IN PATIENTS ADMITTED IN INTENSIVE CARE UNIT |
| 4 | ANAESTHESIA | COMPARISON OF TWO DOSES OF INTRAVENOUS DEXMEDETOMIDINE ON EMERGENCE AGITATION IN PAEDIATRIC PATIENTS UNDERGOING INGUINAL HERNIA SURGERIES UNDER GENERAL ANAESTHESIA WITH SEVOFLURANE |
| 5 | ANAESTHESIA | COMPARISON OF SEPSIS ASSOCIATED ADVERSE OUTCOME IN PREGANCY SCORE WITH MODIFIED EARLY OBSTETRIC WARNING SCORE AND OBSTETRICALLY MODIFIED SEQUENTIAL ORGAN FAILURE ASSESSMENT FOR PREDICTION OF INTENSIVE CARE UNIT OUTCOME IN OBSTETRICS PATIENTS WITH SEPSIS |
| 6 | ANAESTHESIA | COMPARISON OF LIGNOCAINE GELAND NORMAL SALINE AS LUBRICANTS ON THE EASE OF REMOVAL OF A STYLET FROM THE ENDOTRACHEAL TUBE DURING INTUBATION |
| 7 | ANAESTHESIA | ASSESSMENT OF INTUBATING CONDITIONS WITH COMBINED LIGNOCAINE AND MAGNESIUM SULPHATE NEBULIZATION VERSUS LIGNOCAINE ALONE FOR AWAKE FIBEROPTIC-GUIDED NASOTRACHEAL INTUBATION IN PATIENTS WITH ANTICIPATED DIFFICULT AIRWAY |
| 8 | ANAESTHESIA | EFFECT OF MUSIC THERAPY ON PAIN AND ANXIETY IN ADULT PATIENTS UNDERGOING CARDIAC SURGERY THROUGH MIDLINE STERNOTOMY |
| 9 | ANAESTHESIA | COMPARISON OF PREMEDICATION WITH INTRANASAL DEXMEDETOMIDINE AND KETAMINE COMBINATION WITH MIDAZOLAM AND KETAMINE COMBINATION IN CHILDREN |
| 10 | ANAESTHESIA | PREDICTIVE EFFICACY OF CAVAL AORTA INDEX AND INFERIOR VENA CAVA COLLAPSIBILITY INDEX ON INCIDENCE OF HYPOTENSION AFTER SUBARACHNOID BLOCK IN ADULT PATIENTS UNDERGOING INFRAUMBILICAL SURGERIES |
| 11 | ANAESTHESIA | COMPARISON OF CAUDAL BUPIVACAINE ALONE AND CAUDAL BUPIVACAINE-DEXAMETHASONE FOR POSTOPERATIVE PAIN RELIEF IN PAEDIATRIC PATIENTS UNDERGOING ELECTIVE INFRAUMBILICAL SURGERY |
| 12 | ANAESTHESIA | COMPARISON OF SEPSIS IN OBSTETRICS SCORE WITH OBSTETRICALLY MODIFIED SEQUENTIAL ORGAN FAILURE ASSESSMENT SCORE, AND OBSTETRICALLY MODIFIED QUICK SEQUENTIAL ORGAN FAILURE ASSESSMENT SCORE FOR PREDICTION OF INTENSIVE CARE UNIT OUTCOME IN OBSTETRICS PATIENTS WITH SEPSIS |
| 13 | ANAESTHESIA | COMPARISON OF HEIGHT BASED FORMULA WITH TOPOGRAPHY FOR OPTIMUM DEPTH OF INSERTION OF RIGHT INTERNAL JUGULAR VEIN CATHETER IN ADULT PATIENTS |
| 14 | ANAESTHESIA | COMPARISON OF SAFE APNOEA TIME WITH AND WITHOUT POSITIVE END-EXPIRATORY PRESSURE DURING FACE MASK VENTILATION IN ADULT PATIENTS UNDERGOING GENERAL ANAESTHESIA |

346

| | | |
|----|-------------|---|
| 15 | ANAESTHESIA | THE EFFECT OF MUSIC THERAPY ON ANXIETY IN PATIENTS UNDERGOING ELECTIVE LOWER LIMB SURGERY UNDER SPINAL ANAESTHESIA |
| 16 | ANAESTHESIA | ASSESSMENT OF EFFECT ON ENDOTRACHEAL TUBE CUFF PRESSURE ON CHANGING POSITION FROM SUPINE TO PRONE IN PATIENTS UNDERGOING LUMBAR SPINE SURGERY |
| 17 | ANAESTHESIA | COMPARATIVE EFFICACY OF INTRAVENOUS DEXMEDETOMIDINE AND INTRAVENOUS DEXAMETHASONE ON THE INCIDENCE OF POSTOPERATIVE NAUSEA AND VOMITING IN PATIENTS UNDERGOING GYNAECOLOGICAL LAPAROSCOPIC SURGERY |
| 18 | ANAESTHESIA | ASSESSMENT OF IMPACT OF SPIRITUAL WELL-BEING ON QUALITY OF LIFE IN CANCER PATIENTS VISITING PALLIATIVE CARE CLINIC |
| 19 | ANAESTHESIA | CORRELATION OF OXYGEN SATURATION /FRACTION OF INSPIRED OXYGEN RATIO WITH THE PARTIAL PRESSURE OF OXYGEN/FRACTION OF INSPIRED OXYGEN RATIO IN PATIENTS WITH ACUTE RESPIRATORY DISTRESS SYNDROME |
| 20 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED HYOMENTAL DISTANCE WITH WEIGHT-BASED METHOD CRITERIA FOR SELECTION OF APPROPRIATE PROSEAL LARYNGEAL MASK AIRWAY SIZE IN THE ADULT PATIENTS UNDERGOING ELECTIVE SURGERIES |
| 21 | ANAESTHESIA | COMPARISON OF PREOPERATIVE NEBULISED FENTANYL CITRATE AND MAGNESIUM SULPHATE ON POST-INTUBATION HEMODYNAMIC RESPONSE IN ADULTS UNDERGOING ELECTIVE SURGERY |
| 22 | ANAESTHESIA | ASSOCIATION OF SEQUENTIAL ORGAN FAILURE ASSESSMENT SCORE WITH SEVERITY OF MUSCLE WASTING IN CRITICALLY ILL PATIENTS |
| 23 | ANAESTHESIA | EVALUATION OF EFFECT OF ORAL GABAPENTIN AS PRE-EMPTIVE ANALGESIC IN PATIENTS UNDERGOING THYROIDECTOMY UNDER GENERAL ANAESTHESIA |
| 24 | ANAESTHESIA | COMPARISON OF EXTERNAL OBLIQUE INTERFASCIAL PLANE BLOCK WITH SUBCOSTAL TRANSVERSUS ABDOMINIS PLANE BLOCK FOR POST OPERATIVE ANALGESIA IN PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY UNDER GENERAL ANAESTHESIA |
| 25 | ANAESTHESIA | A COMPARISON OF BLIND INTUBATION WITH FIBROPTIC GUIDED INTUBATION THROUGH BLOCKBUSTER™ LARYNGEAL MASK AIRWAY USING POLYVINYL CHLORIDE TUBE IN ADULTS |
| 26 | ANAESTHESIA | COMPARISON OF ULTRASONOGRAPHY AND FLEXIBLE BRONCHOSCOPY FOR EVALUATION OF PLACEMENT OF PROSEAL LARYNGEAL MASK AIRWAY IN PAEDIATRIC PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 27 | ANAESTHESIA | ULTRASOUND BASED ASSESSMENT OF TONGUE THICKNESS, SKIN TO HYOID BONE DISTANCE AND SKIN TO EPIGLOTTIS DISTANCE IN PREDICTING DIFFICULT LARYNGOSCOPY IN ADULT PATIENTS |
| 28 | ANAESTHESIA | EVALUATION OF DISTAL RADIUS EPIPHYSEAL DIAMETER AS A PREDICTOR OF ENDOTRACHEAL TUBE SIZE IN PAEDIATRIC PATIENTS |
| 29 | ANAESTHESIA | COMPARISON OF EFFICACY OF TWO SINGLE USE SUPRAGLOTTIC AIRWAY DEVICES FOR VENTILATION IN ADULT PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |

| | | |
|----|-------------|---|
| 30 | ANAESTHESIA | EFFECT OF SYMPHYSIOFUNDAL HEIGHT ON THE INCIDENCE OF HYPOTENSION IN PARTURIENTS UNDERGOING CAESAREAN DELIVERY UNDER SPINAL ANAESTHESIA |
| 31 | ANAESTHESIA | COMPARISON OF DEXMEDETOMIDINE AND MAGNESIUM SULPHATE AS ADJUVANT TO BUPIVACAINE IN ULTRASOUND GUIDED RIGHT OBLIQUE SUBCOSTAL TRANSVERSUS ABDOMINIS PLANE BLOCK FOR POST OPERATIVE ANALGESIA IN PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY |
| 32 | ANAESTHESIA | COMPARATIVE EVALUATION OF CRICOMENTAL DISTANCE BASED CRITERIA WITH WEIGHT BASED CRITERIA FOR SELECTION OF APPROPRIATE SIZE OF PROSEAL LARYNGEAL MASK AIRWAY IN ADULTS |
| 33 | ANAESTHESIA | COMPARISON OF MAGNESIUM SULPHATE AND CLONIDINE AS ADJUVANT TO BUPIVACAINE IN ULTRASOUND GUIDED SUBCOSTAL TRANSVERSUS ABDOMINIS PLANE BLOCK FOR POSTOPERATIVE ANALGESIA IN PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY |
| 34 | ANAESTHESIA | A COMPARISON OF ATOMIZER AND DROP METHOD FOR SEDATION WITH INTRANASAL DEXMEDETOMIDINE IN CHILDREN UNDERGOING MRI |
| 35 | ANAESTHESIA | COMPARATIVE EVALUATION OF ISOFLURANE INHALATION AND PROPOFOL INFUSION MAINTENANCE OF ANAESTHESIA ON THE INCIDENCE OF POST-OPERATIVE NAUSEA AND VOMITING IN PATIENTS UNDERGOING LAPAROSCOPIC SURGERIES |
| 36 | ANAESTHESIA | COMPARISON OF CLINICAL PERFORMANCE OF BLOCKBUSTER LMA WITH I GEL IN ADULT PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 37 | ANAESTHESIA | COMPARISON OF PREMEDICATION WITH INTRANASAL DEXMEDETOMIDINE AND FENTANYL COMBINATION WITH MIDAZOLAM AND FENTANYL COMBINATION IN CHILDREN |
| 38 | ANAESTHESIA | COMPARATIVE EVALUATION OF TWO DIFFERENT DOSES OF INTRANASAL DEXMEDETOMIDINE FOR SEDATION IN CHILDREN UNDERGOING MRI SCAN |
| 39 | ANAESTHESIA | COMPARISON OF INTRAVENOUS LIGNOCAINE WITH ESMOLOL FOR ATTENUATING INCREASE IN OPTIC NERVE SHEATH DIAMETER DURING LARYNGOSCOPY AND ENDOTRACHEAL INTUBATION |
| 40 | ANAESTHESIA | EVALUATION OF INFLUENCE OF HEAD POSITION VARIATIONS ON THE DEPTH OF ENDOTRACHEAL INTUBATION IN PAEDIATRIC PATIENTS |
| 41 | ANAESTHESIA | COMPARISON OF EFFICACY OF ULTRASOUND GUIDED COSTOCLAVICULAR BRACHIAL PLEXUS BLOCKADE WITH 25ML AND 20ML OF 0.5% BUPIVACAINE |
| 42 | ANAESTHESIA | COMPARATIVE EVALUATION OF EFFICACY OF TWO ANATOMICALLY PREFORMED SUPRAGLOTTIC AIRWAY DEVICES FOR VENTILATION IN ADULT PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 43 | ANAESTHESIA | COMPARISON OF TRANSTRACHEAL ULTRASONOGRAPHY, END TIDAL CAPNOGRAPHY & CHEST AUSCULTATION FOR CONFIRMATION OF ENDOTRACHEAL TUBE PLACEMENT IN PAEDIATRIC PATIENTS |
| 44 | ANAESTHESIA | EFFECT OF HIP TO SHOULDER WIDTH RATIO ON THE LEVEL OF SENSORY BLOCK IN ADULT PATIENTS UNDERGOING LOWER LIMB SURGERY UNDER SPINAL ANAESTHESIA |

32/c

| | | |
|----|-------------|--|
| 45 | ANAESTHESIA | EFFECT OF ABDOMINAL TO HIP CIRCUMFERENCE RATIO ON VASOPRESSOR REQUIREMENT IN PARTURIENTS UNDERGOING CAESAREAN DELIVERY UNDER SPINAL ANAESTHESIA |
| 46 | ANAESTHESIA | COMPARISON OF CAVAL AORTA INDEX WITH INTERNAL JUGULAR VEIN COLLAPSIBILITY INDEX TO PREDICT POST SPINAL ANAESTHESIA HYPOTENSION IN CONTROLLED HYPERTENSIVE PATIENTS |
| 47 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED PECTO-INTERCOSTAL FASCIAL BLOCK AND TRANSVERSUSTHORACIS PLANE BLOCK FOR POST OPERATIVE ANALGESIS IN PATIENTS UNDERGOING CARDIAC SURGERY THROUGH MIDLINE STERNOTOMY |
| 48 | ANAESTHESIA | ULTRASONOGRAPHIC ASSESSMENT OF INTERCOSTAL MUSCLE THICKNESS FOR PREDICTING WEANING OUTCOME IN PATIENTS ON MECHANICAL VENTILATION IN THE INTENSIVE CARE UNIT |
| 49 | ANAESTHESIA | ULTRASONOGRAPHIC ASSESSMENT OF GASTRIC EMPTYING AFTER CLEAR FLUID INTAKE IN CHILDREN SCHEDULED FOR GENERAL ANAESTHESIA |
| 50 | ANAESTHESIA | EVALUATION OF ARTERIAL BLOOD GAS AS A PREDICTOR OF SUCCESSFUL TRACHEAL EXTUBATION IN PATIENTS UNDERGOING HIGH RISK ELECTIVE GYNAECOLOGICAL SURGERY |
| 51 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED ERECTOR SPINAE PLANE BLOCK AND CAUDAL BLOCK FOR POSTOPERATIVE ANALGESIA IN PAEDIATRIC PATIENTS UNDERGOING INFRAUMBILICAL SURGERY |
| 52 | ANAESTHESIA | EFFECT OF INFERIOR VENA CAVA COLLAPSIBILITY INDEX GUIDED FLUID OPTIMAZATION ON INCIDENCE OF HYPOTENSION AFTER SUBARACHNOID BLOCK IN PATIENTS UNDERGOING INFRAUMBILICAL SURGERIES |
| 53 | ANAESTHESIA | COMPARISON OF ANALGESIC EFFICACY OF DUAL SUBSARTORIAL BLOCK AND ADDUCTOR CANAL BLOCK WITH LOCAL INFILTRATION ANALGESIA IN PATIENTS UNDERGOING TOTAL KNEE ARTHROPLASTY |
| 54 | ANAESTHESIA | COMPARISON OF INTRANASAL DEXMEDETOMIDINE WITH BUCCAL DEXMEDETOMIDINE FOR PREMEDICATION IN CHILDREN UNDERGOING ELECTIVE SURGERY |
| 55 | ANAESTHESIA | DOPPLER RENAL RESISTIVE INDEX TO PREDICT RISK OF ACUTE KIDNEY INJURY IN CRITICALLY ILL PATIENTS AFTER ABDOMINAL SURGERY |
| 56 | ANAESTHESIA | COMPARISON OF MODIFIED THORACOABDOMINAL NERVE BLOCK THROUGH PERICHONDRIAL APPROACH WITH EXTERNAL OBLIQUE INTERCOSTAL PLANE BLOCK FOR POSTOPERATIVE ANALGESIA IN PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY |
| 57 | ANAESTHESIA | EFFECT OF RESPIRATORY CYCLE ON MODIFIED MALLAMPATI CLASSIFICATION IN ADULTS |
| 58 | ANAESTHESIA | COMPARISON OF EFFICACY OF TWO ANATOMICALLY PREFORMED SUPRAGLOTTIC DEVICES FOR VENTILATION IN PAEDIATRIC PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 59 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED PERIPHERAL INTERNAL JUGULAR WITH PERIPHERAL VENOUS CANNULATION UNDER ULTRASOUND GUIDANCE IN PATIENTS WITH DIFFICULT VENOUS ACCESS |

| | | |
|----|-------------|--|
| 60 | ANAESTHESIA | ESTIMATION OF ULTRASOUND-GUIDED GASTRIC INSUFFLATION DURING INDUCTION OF GENERAL ANAESTHESIA USING HIGH-FREQUENCY NASAL OXYGENATION AND PRESSURE-CONTROLLED FACEMASK VENTILATION - A COMPARATIVE STUDY |
| 61 | ANAESTHESIA | COMPARISON OF RAMP POSITION AND SNIFFING POSITION FOR VIDEO LARYNGOSCOPE ASSISTED INTUBATION IN MORBIDLY OBESE PATIENTS: A RANDOMISED STUDY |
| 62 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED LUNG SLIDING SIGN WITH CHEST AUSCULTATION FOR CONFIRMATION OF OPTIMUM DEPTH OF ENDOTRACHEAL TUBE PLACEMENT IN PAEDIATRIC PATIENTS UNDERGOING SURGERY UNDER GENERAL ANAESTHESIA |
| 63 | ANAESTHESIA | COMPARISON OF UNILATERAL AND BILATERAL SUBARACHNOID BLOCK FOR DIFFERENCES IN PERIOPERATIVE HEMODYNAMIC PARAMETERS IN PATIENTS UNDERGOING ELECTIVE LOWER LIMB SURGERIES: A RANDOMIZED COMPARATIVE STUDY |
| 64 | ANAESTHESIA | EFFECT OF INTRAVENOUS DEXAMETHASONE ON POST OPERATIVE ANALGESIA FOLLOWING ULTRASOUND GUIDED TRANSVERSUS ABDOMINIS PLANE BLOCK IN ADULT PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY UNDER GENERAL ANAESTHESIA: RANDOMIZED PLACEBO CONTROLLED STUDY |
| 65 | ANAESTHESIA | EVALUATION OF RATIO OF NECK CIRCUMFERENCE TO THYROMENTAL DISTANCE AS PREDICTOR OF DIFFICULT INTUBATION IN OBESE MALE VERSUS FEMALE PATIENTS |
| 66 | ANAESTHESIA | COMPARISON OF ULTRASONOGRAPHIC MEASUREMENT OF ANTERIOR NECK SOFT TISSUE THICKNESS AT THE LEVEL OF VOCAL CORDS WITH HYOMENTAL DISTANCE RATIO FOR PREDICTION OF DIFFICULT LARYNGOSCOPY IN OBESE PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 67 | ANAESTHESIA | COMPARISON OF BISPECTRAL INDEX GUIDED RECOVERY PROFILE OF DESFLURANE WITH SEVOFLURANE ANAESTHESIA IN TRANSNASAL TRANS-SPHENOIDAL SURGERY FOR PITUITARY TUMOR |
| 68 | ANAESTHESIA | COMBINED COLLOID PRELOAD AND CRYSTALLOID CO-LOAD VERSUS CRYSTALLOID CO-LOAD ALONE FOR THE PREVENTION OF SUBARACHNOID BLOCK INDUCED HYPOTENSION IN PATIENTS UNDERGOING ELECTIVE LOWER SEGMENT CAESAREAN SECTION: A RANDOMIZED COMPARATIVE STUDY |
| 69 | ANAESTHESIA | COMPARISON OF SEQUENTIAL ORGAN FAILURE ASSESSMETN (SOFA) SCORE WITH BASE EXCESS AND SEQUENTIAL ORGAN FAILURE ASSESSMENT (SOFA) SCORE ALONE AS AN OUTCOME PREDICTOR OF MORTALITY IN CRITICALLY SICK PATIENTS ICU |
| 70 | ANAESTHESIA | EFFICACY OF THREE DIFFERENT DOSES OF FENTANYL CITRATE FOR ATTENUATION OF HEMODYNAMIC STRESS RESPONSE TO LARYNGOSCOPY AND ENDOTRACHEAL INTUBATION IN SURGERIES UNDER GENERAL ANAESTHESIA: A RANDOMIZED COMPARATIVE STUDY |
| 71 | ANAESTHESIA | COMPARISON OF HIGH FLOW NASAL OXYGENATION AND FACE MASK OXYGENATION FOR PROLONGATION OF SAFE APNOEA TIME IN OBESE PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 72 | ANAESTHESIA | COMPARISON OF AMISULPRIDE WITH DEXAMETHASONE AND ONDANSETRON WITH DEXAMETHASONE FOR PREVENTION OF POSTOPERATIVE NAUSEA AND VOMITING IN ADULT PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY: A RANDOMISED COMPARATIVE STUDY |
| 73 | ANAESTHESIA | COMPARISON OF CAVAL AORTIC INDEX AND INFERIOR VENACAVA COLLAPSIBILITY INDEX FOR PREDICTION OF POST SPINAL HYPOTENSION IN PREGNANT WOMEN UNDERGOING ELECTIVE CAESAREAN SECTION |
| 74 | ANAESTHESIA | A RANDOMISED COMPARATIVE STUDY OF FIRST ATTEMPT SUCCESS RATE OF ULTRASOUND GUIDED AND CONVENTIONAL PALPATORY TECHNIQUE OF POSTERIOR TIBIAL ARTERY CANNULATION IN ADULT PATIENTS |

| | | |
|----|-------------|--|
| 75 | ANAESTHESIA | EFFECT OF BILATERAL INTRANASAL TRANSMUCOSAL SPHENOPALATINE GANGLION BLOCK FOR POSTOPERATIVE ANALGESIA IN FUNCTIONAL ENDOSCOPIC SINUS SURGERY- A RANDOMIZED PLACEBO CONTROL STUDY |
| 76 | ANAESTHESIA | A RANDOMIZED COMPARATIVE STUDY OF GASTRIC INSUFFLATION WITH SUPRAGLOTTIC AIRWAY DEVICE AND ENDOTRACHEAL TUBE USING ULTRASOUND IN PATIENTS UNDERGOING LAPAROSCOPIC CHOLECYSTECTOMY |
| 77 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED SINGLE LEVEL WITH BI LEVEL ERECTOR SPINAE PLANE BLOCK FOR POST OPERATIVE ANALGESIA IN PATIENTS UNDERGOING MODIFIED RADICAL MASTECTOMY UNDER GENERAL ANAESTHESIA |
| 78 | ANAESTHESIA | COMPARISON OF ULTRAOUND GUIDED SUPRASCAPULAR NERVE BLOCK WITH LIGNOCAINE AND TRIAMCINOLONE AND PULSED RADIOFREQUENCY NEUROMODULATION OF SUPRASCAPULAR NERVE FOR PAIN RELIEF IN PATIENTS WITH ADHESIVE CAPSULITIS |
| 79 | ANAESTHESIA | A RANDOMIZED STUDY COMPARING HEMODYNAMIC RESPONSE OF OROTRACHEAL INTUBATION PERFORMED USING UPPER INCISORS PULLBACK ASSISTED FIBRESCOPY AND CONVENTIONAL LARYNGOSCOPY IN ADULT PATIENTS |
| 80 | ANAESTHESIA | RANDOMISED COMPARATIVE EVALUATION OF MIDLINE APPROACH AND RIGHT MOLAR APPROACH FOR TIME FOR SUCCESSFUL ORAL ENDOTRACHEAL INTUBATION WITH FLEXIBLE FIBEROPTIC BRONCHOSCOPE. |
| 81 | ANAESTHESIA | ULTRASOUND MONITORED CHANGE IN SUBCLAVIAN VEIN DIAMETER INDUCED BY TRENDELENBURG POSITION AS A PREDICTOR FOR HYPOTENSION ASSOCIATED WITH GENERAL ANAESTHESIA |
| 82 | ANAESTHESIA | COMPARISON OF INTRAVENOUS CLONIDINE WITH NEBULISED LIGNOCAINE FOR ATTENUATION OF HEMODYNAMIC RESPONSE TO LARYNGOSCOPY AND ENDOTRACHEAL INTUBATION IN PATIENTS POSTED FOR CRANIOTOMY UNDER GENERAL ANAESTHESIA |
| 83 | ANAESTHESIA | COMPARISON OF WEIGHT BASED METHOD AND ULTRASOUND GUIDED HYOMENTAL DISTANCE METHOD FOR SELECTION OF PROSEAL LARYNGEAL MASK AIRWAY SIZE IN ADULT PATIENTS POSTED FOR ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA. |
| 84 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED PERICAPSULAR NERVE (PENG) BLOCK AND SUPRAINGUINAL FASCIA ILIACA (SFICB) BLOCK FOR ATTENUATING POSITIONING PAIN DURING SPINAL ANAESTHESIA IN HIP FRACTURE PATIENTS |
| 85 | ANAESTHESIA | COMPARISON OF AMISULPRIDE AND ONDANSETRON FOR THE PREVENTION OF POSTOPERATIVE NAUSEA AND VOMITING IN PATIENTS UNDERGOING LAPAROSCOPIC GYNAECOLOGICAL SURGERY |
| 86 | ANAESTHESIA | COMPARISON OF MIDAZOLAM WITH PROPOFOL GIVEN AT THE END OF SURGERY FOR PREVENTION OF EMERGENCE DELIRIUM IN CHILDREN UNDERGOING INFRAUMBILICAL ABDOMINAL SURGERY |
| 87 | ANAESTHESIA | COMPARISON OF TRANSMUCOSAL SPHENOPALATINE BLOCK WITH OR WITHOUT INTRAVENOUS DEXAMETHASONE IN ATTENUATION OF HEMODYNAMIC RESPONSE FOLLOWING SKULL PIN APPLICATION IN NEUROSURGERY PATIENT |
| 88 | ANAESTHESIA | COMPARISON OF ULTRASOUND GUIDED ERECTOR SPINAE PLANE BLOCK AND ULTRASOUND GUIDED CAUDAL BLOCK FOR POST OPERATIVE ANALGESIA IN PAEDIATRIC PATIENTS UNDERGOING INGUINAL HERNIA SURGERY UNDER GENERAL ANAESTHESIA |
| 89 | ANAESTHESIA | ULTRASOUND-GUIDED QUADRATUS LUMBORUM BLOCK VERSUS TRANSVERSUS ABDOMINIS PLANE BLOCK FOR POST OPERATIVE ANALGESIA IN PATIENTS UNDERGOING LOWER SEGMENT CESAREAN SECTION: A RANDOMIZED COMPARATIVE STUDY |

| | | |
|-----|-----------------|---|
| 90 | ANAESTHESIA | COMPARISON OF ULTRASONOGRAPHICALLY MEASURED HYOMENTAL DISTANCE RATIO WITH THYROMENTAL DISTANCE AS PREDICTOR OF DIFFICULT LARYNGOSCOPY IN PATIENTS UNDERGOING GENERAL ANESTHESIA |
| 91 | ANAESTHESIA | EFFECT OF DIFFERENT OPERATING TABLE HEIGHT ON SUCCESSFUL INSERTION OF SUPRAGLOTTIC AIRWAY DEVICE IN PEDIATRIC PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA. |
| 92 | ANAESTHESIA | COMPARISON OF UPPER AIRWAY ULTRASONOGRAPHY WITH CAPNOGRAPHY FOR THE CONFIRMATION OF ENDOTRACHEAL TUBE PLACEMENT IN PEDIATRIC PATIENTS UNDERGOING ELECTIVE SURGERY UNDER GENERAL ANAESTHESIA |
| 93 | ANAESTHESIA | COMPARISON OF PROPOFOL WITH LIGNOCAINE FOR ATTENUATION OF LARYNGOSCOPY AND INTUBATION INDUCED RESPONSE ON OPTIC NERVE SHEATH DIAMETER IN NEUROSURGICAL PATIENTS |
| 94 | ANAESTHESIOLOGY | RELIABILITY OF BALLOTABILITY OF ENDOTRACHEAL TUBE CUFF TO CONFIRM MIDTRACHEAL POSITION OF TUBE CORRELATING WITH FIBEROPTIC BRONCHOSCOPE- A CROSS-SECTIONAL OBSERVATIONAL STUDY |
| 95 | ANAESTHESIOLOGY | DETERMINING THE CORRECT INSERTION DEPTH OF TRACHEAL TUBE BY MEASURING DISTANCE BETWEEN VOCAL CORDS AND UPPER END OF ENDOTRACHEAL TUBE CUFF BY ULTRASOUND: A CROSS-SECTIONAL OBSERVATIONAL STUDY |
| 96 | ANAESTHESIOLOGY | THE EFFECT OF LOW-DOSE DEXMEDETOMIDINE PREMEDICATION ON INDUCTION DOSE OF PROPOFOL UNDER BIS MONITORING IN LAPAROSCOPIC CHOLECYSTECTOMY: A RANDOMISED CONTROLLED TRIAL. |
| 97 | ANAESTHESIOLOGY | COMPARISON OF BLOCKBUSTER LARYNGEAL MASK AIRWAY VERSUS FASTRACH LARYNGEAL MASK AIRWAY AS A CONDUIT FOR BLIND ORO-TRACHEAL INTUBATION IN OBESE PATIENTS: A RANDOMISED CONTROL STUDY |
| 98 | ANAESTHESIOLOGY | AXILLARY VEIN COLLAPSIBILITY INDEX AND DIAMETER IN PREDICTING SPINAL ANAESTHESIA INDUCED HYPOTENSION IN PATIENT UNDERGOING LOWER ABDOMINAL SURGERY: A CROSS-SECTIONAL OBSERVATIONAL STUDY |
| 99 | ANATOMY | MORPHOMETRIC STUDY OF ADULT HUMAN TRACHEAL RINGS IN INDIAN POPULATION |
| 100 | ANATOMY | MORPHOMETRIC STUDY OF NEUROVASCULAR STRUCTURES IN RELATION TO BONY LANDMARKS OF THE POSTERIOR ASPECT OF KNEE |
| 101 | ANATOMY | ARTHROSCOPIC STUDY OF TEAR PATTERNS OF GLENOID LABRUM IN SHOULDER INSTABILITY |
| 102 | ANATOMY | STUDY OF DERMATOGLYPHIC PATTERN IN PATIENTS OF MYOCARDIAL INFARCTION |
| 103 | ANATOMY | MORPHOMETRIC STUDY OF LUNG FISSURES |
| 104 | BIOCHEMISTRY | ASSOCIATION OF INSULIN-LIKE GROWTH FACTOR-1 AND INSULIN RESISTANCE IN OBSTRUCTIVE CORONARY ARTERY DISEASE |

29/c

28/c

| | | |
|-----|--------------------|--|
| 105 | BIOCHEMISTRY | ASSOCIATION OF IGFBP-2 AND IGFBP-4 WITH SEVERITY OF NAFLD |
| 106 | BIOCHEMISTRY | ASSOCIATION OF IGF-1 AND IGFBP-3 LEVELS WITH SEVERITY OF NON-ALCOHOLIC FATTY LIVER DISEASE |
| 107 | BIOCHEMISTRY | EVALUATION OF GROWTH HORMONE AND IGF-1 IN SUBCLINICAL HYPOTHYROIDISM |
| 108 | BIOCHEMISTRY | ASSOCIATION OF SERUM LEPTIN-ADIPONECTIN RATION WITH CAROTID ATHEROSCLEROSIS IN PRE DIABETES AND TYPE 2 DIABETES |
| 109 | BIOCHEMISTRY | ASSOCIATION OF ANGIOPOEITIN LIKE PROTEIN-3 WITH CAROTID ATHEROSCLEROSIS IN PREDIABETES AND TYPE 2 DIABETES |
| 110 | BIOCHEMISTRY | COMPARISON OF PENTRAXIN 3 AS AN INFLAMMATORY MARKER IN TYPE 2 DIABETES WITH OR WITHOUT RETINOPATHY |
| 111 | BIOCHEMISTRY | ASSOCIATION OF FADS2 GENE POLYMORPHISM AND INSULIN RESISTANCE IN TYPE 2 DIABETES MELLITUS |
| 112 | BIOCHEMISTRY | TAQ1 POLYMORPHISM OF VITAMIN D RECEPTOR GENE IN PATIENTS OF PSORIASIS |
| 113 | BIOCHEMISTRY | SERUM CYSTATIN C AND CST3 GENE POLYMORPHISM IN INDIVIDUALS WITH DEPRESSION |
| 114 | BIOCHEMISTRY | ASSOCIATION OF INTERLEUKIN-4 RECEPTOR (IL-4R) GENE POLYMORPHISM WITH PATIENTS OF KNEE OSTEOARTHRITIS |
| 115 | COMMUNITY MEDICINE | SMARTPHONE APPLICATION-BASED ASSESSMENT OF PREVALENCE OF HEARING IMPAIRMENT IN ADULT POPULATION OF AN URBANIZED VILLAGE OF DELHI |
| 116 | COMMUNITY MEDICINE | PREVALENCE OF WORKPLACE VIOLENCE AGAINST DOCTORS IN TERTIARY CARE HOSPITAL OF DELHI |
| 117 | COMMUNITY MEDICINE | PREVALENCE OF LONELINESS AMONG ELDERLY POPULATION LIVING RURAL AREA OF DELHI |
| 118 | COMMUNITY MEDICINE | PREVALENCE OF CARDIOVASCULAR RISK FACTORS AMONG POPULATION AGED 40 YEARS AND ABOVE IN RURAL AREA OF DELHI |

| | | |
|-----|--------------------|--|
| 119 | COMMUNITY MEDICINE | PREVALENCE OF MENOPAUSAL SYMPTOMS AND ITS EFFECT ON QUALITY OF LIFE AMONG WOMEN RESIDING IN RURAL AREA OF DELHI |
| 120 | COMMUNITY MEDICINE | A COMMUNITY BASED STUDY ON THE PREVALENCE OF DEPRESSION AMONG HOUSEWIVES OF AN URBANISED VILLAGE OF DELHI |
| 121 | DERMATOLOGY | PREVALENCE OF CHLAMYDIA TRACHOMATIS INFECTION AMONG YOUTH ATTENDING THE SEXUALLY TRANSMITTED INFECTION CLINIC |
| 122 | DERMATOLOGY | EVALUATION OF CLINICAL, DERMATOSCOPIC & ETIOLOGICAL FEATURES OF MELANONYCHIA |
| 123 | DERMATOLOGY | EVALUATION OF METABOLIC SYNDROME AND INSULIN RESISTANCE IN MALES WITH ADULT ACNE |
| 124 | DERMATOLOGY | A DOUBLE-BLIND RANDOMISED CONTROLLED TRIAL TO COMPARE THE EFFICACY OF DIFFERENT CONCENTRATIONS OF INTRALESIONAL TRIAMCINOLONE ACETONIDE IN THE TREATMENT OF ALOPECIA AREATA ON THE SCALP |
| 125 | DERMATOLOGY | EFFECT OF TREATMENT ON CLINICAL & SEROLOGICAL PROFILE OF PATIENTS WITH SYPHILIS |
| 126 | DERMATOLOGY | CLINICO-EPIDEMIOLOGICAL STUDY OF PATIENTS WITH VULVAR DERMATOSES AND ASSESSMENT OF THEIR KNOWLEDGE, ATTITUDE AND PRACTICES REGARDING PERSONAL HYGIENE. |
| 127 | DERMATOLOGY | EVALUATION OF CLINICO-DERMOSCOPIC FEATURES AND ASSESSMENT OF QUALITY OF LIFE IN PATIENTS WITH TOPICAL STEROID DAMAGED/DEPENDENT FACE (TSDF) |
| 128 | DERMATOLOGY | A CLINICO-EPIDEMIOLOGICAL STUDY OF PATTERN OF NAIL DISORDERS IN CHILDREN OF SCHOOL GOING AGE. |
| 129 | DERMATOLOGY | A CLINICO-EPIDEMIOLOGICAL STUDY ON CUTANEOUS ADVERSE DRUG REACTIONS. |
| 130 | DERMATOLOGY | CLINICO EPIDEMIOLOGICAL STUDY OF SEXUALLY TRANSMITTED INFECTIONS IN PATIENTS ATTENDING STI CLINIC. |
| 131 | ENT | INCIDENCE OF HYPOTHYROIDISM FOLLOWING HEMITHYROIDECTOMY AND ITS ASSOCIATED RISK FACTORS |
| 132 | ENT | ANALYSIS OF NEUTROPHIL TO LYMPHOCYTE RATIO IN CASES OF UNILATERAL IDIOPATHIC SUDDEN SENSORINEURAL HEARING LOSS AND THE EFFECT OF THE TREATMENT ON ITS RATIO |
| 133 | ENT | MASTOID RECONSTRUCTION WITH PLATELET-RICH PLASMA AND BONE PATE AFTER CANAL WALL DOWN MASTOIDECTOMY |

27/c

26/c

| | | |
|-----|-------------------|---|
| 134 | ENT | COMPARISON BETWEEN ANATOMICAL PARAMETERS OF EUSTACHIAN TUBE IN DISEASED EAR WITH NORMAL EAR IN UNILATERAL CHRONIC SQUAMOUS OTITIS MEDIA USING HIGH RESOLUTION COMPUTED TOMOGRAPHY |
| 135 | FORENSIC MEDICINE | IS THERE ROLE OF LACTATE AND METHEMOGLOBIN LEVELS AS PROGNOSTIC INDICATORS IN CASES WITH ACUTE POISONING |
| 136 | FORENSIC MEDICINE | CORRELATION OF HAND MEASUREMENTS WITH STATURE ON AUTOPSY |
| 137 | FORENSIC MEDICINE | PATTERNS OF HESITATION WOUNDS AND THEIR ASSOCIATION WITH PSYCHIATRIC ILLNESS |
| 138 | FORENSIC MEDICINE | DETERMINING AGE AND SEX BY MORPHOMETRIC ANALYSIS OF MAXILLARY SINUS USING COMPUTED TOMOGRAPHY |
| 139 | FORENSIC MEDICINE | SPECTRUM OF PULMONARY PATHOLOGIES AND AERATION STATUS IN STILLBIRTH AND NEONATAL DEATH ON AUTOPSY |
| 140 | GENERAL MEDICINE | COMPARISON OF RED CELL INDEX IN STABLE CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CONTROLS |
| 141 | GENERAL MEDICINE | COMPARISON OF SERUM COPEPTIN LEVEL IN ACUTE PANCREATITIS AND HEALTHY CONTROLS |
| 142 | GENERAL MEDICINE | ESTIMATION OF SERUM HEPcidIN, FERRITIN AND IRON IN ALCOHOL RELATED CIRRHOSIS |
| 143 | GENERAL MEDICINE | DIAGNOSTIC ACCURACY OF POTAL VEIN CONGESTION INDEX IN ESOPHAGEAL VARICES IN CIRRHOSIS |
| 144 | GENERAL MEDICINE | CORRELATION OF SERUM URIC ACID AND MAGNESIUM LEVELS WITH SEVERITY OF ACUTE ISCHMIC STROKE |
| 145 | GENERAL MEDICINE | FUNCTIONAL OUTCOME AT THE END OF THREE MONTHS IN PATIENTS WITH TUBERCULOUS MENINGITIS |
| 146 | GENERAL MEDICINE | ASSOCIATION OF INTER-ARM BLOOD PRESSURE DIFFERENCE WITH EARLY NEUROLOGICAL DETERIORATION IN ADULTS WITH ACUTE ISCHEMIC STROKE |
| 147 | GENERAL MEDICINE | DIAGNOSTIC ACCURACY OF ALBUMIN-BILIRUBIN GRADE AND PLATELETS (ALBI-PLT) SCORE IN ESOPHAGEAL VARICES IN CIRRHOSIS |
| 148 | GENERAL MEDICINE | COMPARISON OF COGNITIVE FUNCTION IN RHEUMATOID ARTHRITIS PATIENTS WITH CONTROLS |

25/c

| | | |
|-----|------------------|---|
| 149 | GENERAL MEDICINE | COMPARATIVE EVALUATION OF PREVALENCE OF MUSCULOSKELETAL DISORDERS IN HIV POSITIVE PATIENTS WITH HEALTHY INDIVIDUALS |
| 150 | GENERAL MEDICINE | CORRELATION OF MYOCARDIAL WORK WITH DISEASE ACTIVITY IN RHEUMATOID ARTHRITIS PATIENTS |
| 151 | GENERAL MEDICINE | PERIPHERAL ISCHEMIC MICROVASCULAR RESERVE AS A PROGNOSTIC MARKER FOR IN-HOSPITAL MORTALITY IN ADULTS WITH SEPSIS |
| 152 | GENERAL MEDICINE | CORRELATION OF THYROID FUNCTION TESTS WITH CLINICAL SEVERITY OF CIRRHOSIS |
| 153 | GENERAL MEDICINE | PREVALENCE OF DYSLIPIDEMIA IN ACUTE ISCHEMIC STROKE IN YOUNG ADULTS A HOSPITAL BASED STUDY |
| 154 | GENERAL MEDICINE | CORRELATION OF FIBRINOGEN TO ALBUMIN RATIO WITH DISEASE ACTIVITY IN ANKYLOSING SPONDYLITIS |
| 155 | GENERAL MEDICINE | DIAGNOSTIC ACCURACY OF SERUM PROCALCITONIN LEVELS IN SEVERITY OF ACUTE PANCREATITIS |
| 156 | GENERAL MEDICINE | PREVALANCE OF METABOLIC SYNDROME IN RHEUMATOID ARTHRITIS: A HOSPITAL BASED STUDY |
| 157 | GENERAL MEDICINE | STUDY OF FIBRINOGEN TO ALBUMIN RATIO IN OBSTRUCTIVE SLEEP APNEA SYNDROME WITH HEALTHY CONTROLS |
| 158 | GENERAL MEDICINE | STUDY OF PLATELET TO LYMPHOCYTE RATIO IN OBSTRUCTIVE SLEEP APNEA SYNDROME AND HEALTHY CONTROLS |
| 159 | GENERAL MEDICINE | PREVALENCE OF PERIPHERAL NEUROPATHY IN RHEUMATOID ARTHRITIS: HOSPITAL BASED CROSS SECTIONAL STUDY |
| 160 | GENERAL MEDICINE | INSULIN RESISTANCE IN CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 161 | GENERAL MEDICINE | CLINICO-ETIOLOGICAL PROFILE OF LIVER ABSCESS |
| 162 | GENERAL MEDICINE | SERUM PROCALCITONIN TO LACTIC ACID RATIO IN BACTERIAL INFECTIONS IN DIABETIC KETOACIDOSIS |
| 163 | GENERAL MEDICINE | URINARY ABNORMALITY IN TREATMENT-NAÏVE HIV-INFECTED PATIENTS |

24/c

| | | |
|-----|------------------|---|
| 164 | GENERAL MEDICINE | EVALUATION OF CARDIOVASCULAR RISK FACTORS IN SUBCLINICAL HYPOTHYROIDISM |
| 165 | GENERAL MEDICINE | STUDY OF PREVALENCE AND PATTERNS OF PERIPHERAL NEUROPATHY IN PATIENTS OF RHEUMATOID ARTHRITIS. |
| 166 | GENERAL MEDICINE | A STUDY OF ASSOCIATION BETWEEN DIABETES-RELATED DISTRESS AND PREDICTED RISK OF CARDIOVASCULAR COMPLICATIONS IN PATIENTS WITH TYPE 2 DIABETES MELLITUS |
| 167 | GENERAL MEDICINE | ASTUDYOF SERUMLIPIDPROFILEINPATIENTSOF CIRRHOSIS AND ITS CORRELATION WITH CHILD TURCOTT PUGH SCORE (CTP) |
| 168 | GENERAL SURGERY | TO EVALUATE SERUM GLUCOSE LEVEL IN PREDICTION OF SEVERITY AND OUTCOME IN PATIENTS WITH NECROTIZING SOFT TISSUE INFECTION |
| 169 | GENERAL SURGERY | CORRELATION OF APACHE II SCORE WITH SURGICAL OUTCOMES IN EMERGENCY COLONIC RESECTION |
| 170 | GENERAL SURGERY | COMPARISON OF WOUND OUTCOME IN SHORT AND LONG STITCH SHEATH CLOSURE FOLLOWING EMERGENCY EXPLORATORY LAPAROTOMY |
| 171 | GENERAL SURGERY | EVALUATION OF OPERATIVE PARAMETERS AND OUTCOMES OF EARLY LAPAROSCOPIC CHOLECYSTECTOMY IN ACUTE CALCULOUS CHOLECYSTITIS |
| 172 | GENERAL SURGERY | EVALUATION OF SERUM ALBUMIN LEVEL AS PREDICTOR OF OUTCOME IN PATIENTS OF PERITONITIS |
| 173 | GENERAL SURGERY | EVALUATION OF PREOPERATIVE CARBOHYDRATE LOADING ON CLINICAL AND METABOLIC RESPONSES IN LAPAROSCOPIC CHOLECYSTECTOMY |
| 174 | GENERAL SURGERY | EVALUATION OF INTERRUPTED-X SUTURE TECHNIQUE USED IN CLOSURE OF RECTUS SHEATH FOLLOWING EXPLORATORY LAPAROTOMY IN PERFORATION PERITONITIS |
| 175 | GENERAL SURGERY | EVALUATION OF CLINICAL, DEMOGRAPHIC AND RADIOLOGICAL FACTORS IN PREDICTING DIFFICULT LAPAROSCOPIC CHOLECYSTECTOMY |
| 176 | GENERAL SURGERY | EVALUATION OF SENTINEL LYMPH NODE BY DUAL TECHNIQUE USING INDOCYANINE GREEN AND METHYLENE BLUE FOR CARCINOMA BREAST |
| 177 | GENERAL SURGERY | INCIDENCE AND IMPLICATION OF FUNGAL INFECTION IN DIABETIC FOOT |
| 178 | GENERAL SURGERY | PREDICTION OF SURGICAL SITE INFECTION IN ACUTE APPENDICITIS BASED ON SUBCUTANEOUS TISSUE THICKNESS |

| | | |
|-----|-----------------|---|
| 179 | GENERAL SURGERY | EVALUATION OF FACTORS CAUSING WOUND DEHISCENCE FOLLOWING EXPLORATORY LAPAROTOMY FOR ILEAL PERFORATION PERITONITIS |
| 180 | GENERAL SURGERY | EVALUATION OF SEROMA FORMATION AFTER TOTALLY EXTRAPERITONEAL REPAIR OF INGUINAL HERNIA |
| 181 | GENERAL SURGERY | THE PIPAS SEVERITY SCORE AND THE QSOFA CRITERIA IN PREDICTION OF MORTALITY IN PERFORATION PERITONITIS |
| 182 | GENERAL SURGERY | CORRELATION OF PRE-HOSPITAL TIME AND TREATMENT WITH OUTCOMES IN SEVERELY INJURED TRAUMA PATIENTS |
| 183 | GENERAL SURGERY | EVALUATION OF INVOLVEMENT OF LEVEL III LYMPH NODES IN CARCINOMA BREAST WITH POSITIVE LEVEL I LYMPH NODES |
| 184 | GENERAL SURGERY | CORRELATION OF POSITIVE LYMPH NODES AT AXILLARY VEIN (LEVEL 1) WITH ANGULAR VEIN (LEVEL1) IN AXILLARY LYMPH NODE DISSECTION IN CARCINOMA BREAST |
| 185 | GENERAL SURGERY | EVALUATION OF IMPACT OF RADIOFREQUENCY ABLATION ON VENOUS CLINICAL SEVERITY SCORE IN PATIENTS OF VARICOSE VEINS |
| 186 | GENERAL SURGERY | EVALUATING SURGICAL PARAMETER AND OUTCOME OF LAPAROSCOPIC CHOLECYSTECTOMY IN MILD GALLSTONE-INDUCED PANCREATITIS IN THE INDEX HOSPITAL ADMISSION |
| 187 | GENERAL SURGERY | EVALUATION OF PROGNOSTIC ACCURACY OF LABORATORY RISK INDICATOR FOR NECROTIZING FASCIITIS (LRINEC) SCORE IN PATIENTS REQUIRING REVISION SURGERY IN LOWER LIMB AMPUTATION |
| 188 | GENERAL SURGERY | APPLICATION OF CLAVIEN-DINDO CLASSIFICATION IN ASSESSMENT OF POST SURGICAL COMPLICATIONS:ANINSTITUTEBASEDPROSPECTIVE STUDY IN ESI HOSPITAL |
| 189 | GENERAL SURGERY | CRITICAL VIEW OF SAFETY AND ROUVIERE SULCUS AS LANDMARKS IN LAPROSCOPIC CHOLECYSTECTOMYFORPREVENTIONOFBILEDUCT INJURIES – AN OBSERVATIONAL STUDY |
| 190 | GENERAL SURGERY | COMPARISON OF OUTCOME IN PATIENTS UNDERGOING ABDOMINAL SURGERYUSING ENHANCED RECOVERY AFTER SURGERY PROTOCOL AND CONVENTIONAL PERI-OPERATIVE MANAGEMENT |
| 191 | GENERAL SURGERY | DETERMINATION OF INCIDENCE AND ANALYSIS OF FACTORSLEADINTO GALLBLADDERCONTENTSPELLAGE DURING LAPAROSCOPIC CHOLECYSTECTOMY |
| 192 | GENERAL SURGERY | COMPARISONOFSTANDARDPRESSUREVERSUSLOW PRESSURE CO2 PNEUMOPERITONEUM IN ELECTIVE LAPAROSCOPIC CHOLECYSTECTOMY |
| 193 | GENERAL SURGERY | EFFICACYOFMANNHEIM'SPERITONITISINDEXAND APACHE-II SCORING SYSTEM TO PREDICT THE OUTCOME IN PATIENTS WITH PERITONITIS |

22/c

| | | |
|-----|---|---|
| 194 | GENERAL SURGERY | ACOMPARISONOFRIPASASCORINGSYSTEMAND ALVARADO SCORING SYSTEM IN DIAGNOSIS OF ACUTE APPENDICITIS |
| 195 | MD (DERMATOLOGY, VENEREOLOGY AND LEPROSY) | STUDY OF SERUM 3 ALPHA DIOL G IN FEMALE PATTERN HAIR LOSS |
| 196 | MD (DERMATOLOGY, VENEREOLOGY AND LEPROSY) | DETECTION OF HSV-1 AND HSV-2 BY PCR IN GENITAL ULCER DISEASE |
| 197 | MD (DERMATOLOGY, VENEREOLOGY AND LEPROSY) | STUDY OF DERMOSCOPIC FEATURES IN UNTREATED ACUTE SKIN INFECTIONS AND INFESTATIONS |
| 198 | MD (DERMATOLOGY, VENEREOLOGY AND LEPROSY) | ASSOCIATION OF XANTHELASMA PALPEBRARUM WITH CAROTID INTIMA MEDIA THICKNESS AND LIPID PROFILE |
| 199 | MD (GENERAL MEDICINE) | CLINICAL AND MICROBIOLOGICAL PROFILE OF SYSTEMIC CANDIDA INFECTION IN CRITICALLY ILL MEDICAL PATIENTS |
| 200 | MD (GENERAL MEDICINE) | ASSESSMENT OF HEPATIC STIFFNESS IN PATIENTS WITH RHEUMATOID ARTHRITIS ON LONG TERM METHOTREXATE THERAPY |
| 201 | MD (GENERAL MEDICINE) | STUDY OF MONOCYTE DISTRIBUTION WIDTH AS A PREDICTOR OF SEPSIS IN PATIENTS OF SYSTEMIC INFLAMMATORY RESPONSE SYNDROME |
| 202 | MD (GENERAL MEDICINE) | SERUM FERRITIN AS A MARKER OF 28 DAY MORTALITY IN PATIENTS WITH SEPSIS |
| 203 | MD (GENERAL MEDICINE) | STUDY OF A COMBINATION OF MONOCYTE TO HIGH DENSITY LIPOPROTEIN CHOLESTEROL RATIO AND NEUTROPHIL TO LYMPHOCYTE RATIO AS PREDICTORS OF INHOSPITAL OUTCOME IN PATIENTS OF SEPSIS |
| 204 | MD (GENERAL MEDICINE) | ASSOCIATION OF CRP TO ALBUMIN RATIO WITH IN-HOSPITAL OUTCOMES IN PATIENTS WITH STEMI UNDERGOING PERCUTANEOUS CORONARY INTERVENTION |
| 205 | MD (GENERAL MEDICINE) | STUDY OF ASSOCIATION OF PLATELET PARAMETERS WITH SEVERITY OF IRON DEFICIENCY ANEMIA |
| 206 | MD (GENERAL MEDICINE) | COMPARISON OF HINDI VERSION OF ADDENBROOKE'S III SCALE WITH HINDI VERSION OF MMSE SCALE FOR DETECTION OF COGNITIVE IMPAIRMENT IN TYPE 2 DIABETES MELLITUS |
| 207 | MD (GENERAL MEDICINE) | PULMONARY IMPAIRMENT IN RHEUMATOID ARTHRITIS USING 6-MINUTE WALK TEST, CHEST RADIOGRAPHY AND SPIROMETRY |
| 208 | MD (GENERAL MEDICINE) | PREVALENCE OF SARCOPENIA USING HAND GRIP STRENGTH IN PREDIABETIC ADULTS |

| | | |
|-----|-----------------------|---|
| 209 | MD (GENERAL MEDICINE) | COMPARISON OF COPD-POPULATION SCREENER, COPD DIAGNOSTIC QUESTIONNAIRE AND COPD ASSESSMENT IN PRIMARY CARE TO IDENTIFY UNDIAGNOSED RESPIRATORY DISEASE AND EXACERBATION RISK QUESTIONNAIRE TO PULMONARY FUNCTION TEST FOR DIAGNOSIS OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 210 | MD (GENERAL MEDICINE) | ASSOCIATION OF DECAF AND BAP 65 SCORES IN PROGNOSIS OF ACUTE EXACERBATION OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 211 | MD (GENERAL MEDICINE) | ECHOCARDIOGRAPHIC PROFILE IN PATIENTS WITH ACUTE ISCHEMIC STROKE IN YOUNG ADULTS |
| 212 | MD (GENERAL MEDICINE) | EVALUATION OF SERUM LEVELS OF URIC ACID IN PATIENTS OF TYPE 2 DIABETES MELLITUS WITH OR WITHOUT ISCHEMIC STROKE |
| 213 | MD (GENERAL MEDICINE) | COMPARISON OF ALBUMIN TO GLOBULIN RATIO (AGR) AND FIBRINOGEN TO ALBUMIN RATIO (FAR) IN STEMI AND NSTEMI PATIENTS |
| 214 | MD (GENERAL MEDICINE) | CLINICO-LABORATORY PROFILE AND ETIOLOGY OF ACUTE UNDIFFERENTIATED FEBRILE ILLNESS IN HOSPITALISED PATIENTS |
| 215 | MD (GENERAL MEDICINE) | STUDY OF SERUM TRACE ELEMENTS (ZN, CU, MG) IN HEPATIC ENCEPHALOPATHY |
| 216 | MD (GENERAL MEDICINE) | EVALUATION OF URINARY LEVELS OF HEME OXYGENASE-1 IN DIABETIC KIDNEY DISEASE |
| 217 | MD (GENERAL MEDICINE) | CORRELATION OF LEVELS OF SERUM FIBRINOGEN WITH MODIFIED RODNAN SKIN SCORE IN DIFFUSE CUTANEOUS SYSTEMIC SCLEROSIS |
| 218 | MD (GENERAL MEDICINE) | PREVALENCE OF INSOMNIA IN TYPE 2 DIABETES MELLITUS PATIENTS |
| 219 | MD (GENERAL MEDICINE) | PREVALENCE OF METABOLIC SYNDROME IN PATIENTS OF OSTEOARTHRITIS |
| 220 | MD (GENERAL MEDICINE) | THE STUDY OF SERUM HOMOCYSTEINE LEVELS IN CASES OF DIFFUSE CUTANEOUS SYSTEMIC SCLEROSIS |
| 221 | MD (GENERAL MEDICINE) | CORRELATION OF NEUTROPHIL TO LYMPHOCYTE RATIO WITH CK-MB IN PATIENTS OF ACUTE MYOCARDIAL INFARCTION |
| 222 | MD (GENERAL MEDICINE) | THE ASSOCIATION OF QTC PROLONGATION AND MODERATELY INCREASED ALBUMINURIA IN PATIENTS WITH TYPE 2 DIABETES MELLITUS |
| 223 | MD (GENERAL MEDICINE) | TO EVALUATE NEUTROPHIL TO LYMPHOCYTE RATIO (NLR) AND PLATELET TO LYMPHOCYTE RATIO (PLR) IN PREDICTING OUTCOMES IN PATIENTS OF ACUTE ISCHEMIC STROKE |

21/c

20/c

| | | |
|-----|-----------------------|---|
| 224 | MD (GENERAL MEDICINE) | TO STUDY THE ASSOCIATION OF URINARY SPOT SODIUM POTASSIUM RATIO WITH ACUTE KIDNEY INJURY IN DECOMPENSATED CIRRHOSIS |
| 225 | MD (GENERAL MEDICINE) | CORRELATION OF SERUM C-REACTIVE PROTEIN TO ALBUMIN RATIO (CAR) WITH DISEASE ACTIVITY IN PATIENTS WITH RHEUMATOID ARTHRITIS |
| 226 | MD (GENERAL MEDICINE) | UPDATED HACOR SCORE FOR PREDICTING FAILURE OF NON-INVASIVE VENTILATION IN PATIENTS ADMITTED IN THE MEDICAL HDU (HIGH DEPENDENCY UNIT) |
| 227 | MD (GENERAL MEDICINE) | STUDY OF MONOCYTE TO HDL-C RATIO IN PATIENTS OF TYPE 2 DIABETES MELLITUS WITH DIABETIC KIDNEY DISEASE AND WITHOUT DIABETIC KIDNEY DISEASE |
| 228 | MD (GENERAL MEDICINE) | EFFECT OF REPERFUSION THERAPY ON QT AND QTC DISPERSION IN ACUTE ST ELEVATION MYOCARDIAL INFARCTION |
| 229 | MD (GENERAL MEDICINE) | TO FIND THE CORRELATION OF SERUM TESTOSTERONE LEVELS TO THE ULTRASONOGRAPHICALLY MEASURED SKELETAL MUSCLE THICKNESS AMONG PATIENTS OF LIVER CIRRHOSIS |
| 230 | MD (GENERAL MEDICINE) | EVALUATION OF EXPANDED A-DROP SCORE IN PREDICTING 14 DAY MORTALITY IN PATIENTS ADMITTED WITH COMMUNITY ACQUIRED PNEUMONIA |
| 231 | MD (GENERAL MEDICINE) | PREVALENCE OF FIBROMYALGIA IN HIV/AIDS AND ITS ASSOCIATION WITH SEVERITY OF IMMUNOSUPPRESSION |
| 232 | MD (GENERAL MEDICINE) | PREVALENCE OF FIBROMYALGIA IN RHEUMATOID ARTHRITIS AND ITS ASSOCIATION WITH DISEASE ACTIVITY |
| 233 | MD (GENERAL MEDICINE) | ASSOCIATION OF ATHEROGENIC INDEX OF PLASMA AND ANGIOGRAPHIC SEVERITY IN PATIENTS WITH ACUTE CORONARY SYNDROME |
| 234 | MD (GENERAL MEDICINE) | ASSOCIATION OF MEAN PLATELET VOLUME AND RED CELL DISTRIBUTION WIDTH WITH PERCENTAGE OCCLUSION OF CORONARY ARTERY IN ACUTE MYOCARDIAL INFARCTION |
| 235 | MD (GENERAL MEDICINE) | PREVALENCE OF PERIPHERAL NEUROPATHY IN PATIENTS OF TYPE 2 DIABETES MELLITUS WITH SENSORINEURAL HEARING LOSS |
| 236 | MD (GENERAL MEDICINE) | PREVALENCE OF METABOLIC SYNDROME IN HUMAN IMMUNODEFICIENCY VIRUS (HIV)/AIDS PATIENTS AND ITS ASSOCIATION WITH SEVERITY OF IMMUNODEFICIENCY |
| 237 | MD (MICROBIOLOGY) | SPECTRUM OF VIRAL PATHOGENS IN RENAL ALLOGRAFT RECIPIENTS |
| 238 | MD (MICROBIOLOGY) | COMPARISON OF HYPOCHLOROUS ACID WITH SILVER SULPHADIAZINE AS ANTISEPTIC IN BURN WOUND MANAGEMENT : A RANDOMISED STUDY |

| | | |
|-----|-------------------|---|
| 239 | MD (MICROBIOLOGY) | SPECTRUM OF PATHOGENS CAUSING ACUTE ENCEPHALITIS IN PAEDIATRIC PATIENTS DETECTED BY CONVENTIONAL AND MOLECULAR METHODS |
| 240 | MD (MICROBIOLOGY) | DETECTION OF HUMAN PAPILLOMA VIRUS SEROTYPES BY MULTIPLEX PCR IN PATIENTS WITH EXTERNAL GENITAL WARTS |
| 241 | MD (MICROBIOLOGY) | DETECTION OF MYCOBACTERIUM TUBERCULOSIS, PULMONARY FUNGAL PATHOGENS AND THEIR CO-INFECTION AMONGST SUSPECTED CASES OF PULMONARY TUBERCULOSIS |
| 242 | MD (MICROBIOLOGY) | STUDY OF SYNERGISTIC EFFECT OF CEFTAZIDIME – AVIBACTAM AND AZTREONAM ON CARBAPENEM RESISTANT KLEBSIELLA SPECIES |
| 243 | MD (MICROBIOLOGY) | DETECTION OF SPECTRUM OF PATHOGENS IN SUSPECTED CASES OF CERVICITIS BY MULTIPLEX REAL TIME PCR |
| 244 | MD (MICROBIOLOGY) | DETECTION OF CYTOMEGALOVIRUS USING SEROLOGICAL AND MOLECULAR METHODS IN ANTENATAL WOMEN |
| 245 | MD (MICROBIOLOGY) | CLINICOBACTERIOLOGICAL PROFILE OF NEONATAL SEPTICAEMIA AND DETECTION OF ANTIMICROBIAL RESISTANCE GENES IN THE BACTERIAL ISOLATES BY MULTIPLEX RT -PCR |
| 246 | MD (PAEDIATRICS) | PSYCHIATRIC DISORDERS ASSOCIATED WITH IDIOPATHIC CHEST PAIN IN CHILDREN AGED 8-18 YEARS |
| 247 | MD (PAEDIATRICS) | ASSESSMENT OF HEALTH RELATED QUALITY OF LIFE AMONG CHILDREN WITH RHEUMATIC HEART DISEASE. |
| 248 | MD (PAEDIATRICS) | LEVELS OF SERUM HEPICIDIN, INTERLEUKIN-6 AND TUMOUR NECROSIS FACTOR-ALPHA IN OBESE CHILDREN AGED 5-18 YEARS |
| 249 | MD (PAEDIATRICS) | ETIOLOGICAL PROFILE OF ACUTE PANCREATITIS IN CHILDREN |
| 250 | MD (PAEDIATRICS) | PREVALENCE OF HYPERGLYCEMIA IN CHILDREN WITH HIV OF AGE 6-18 YEARS ON DOULTEGRAVIR ATTENDING ART CLINIC |
| 251 | MD (PAEDIATRICS) | STUDY OF SERUM ZONUL IN LEVELS IN CHILDREN WITH MIGRAINE |
| 252 | MD (PAEDIATRICS) | ESTIMATION OF SERUM VITAMIN-D LEVELS IN CHILDREN ON ANTIEPILEPTIC DRUG THERAPY |
| 253 | MD (PAEDIATRICS) | UTILITY OF SALIVARY TRUENAT IN DIAGNOSIS OF PULMONARY TUBERCULOSIS IN CHILDREN |

19/c

18/c

| | | |
|-----|------------------|---|
| 254 | MD (PAEDIATRICS) | TO EVALUATE UPPER AIRWAY MICROBIOME IN CHILDREN WITH ASTHMA |
| 255 | MD (PAEDIATRICS) | ORAL CRYOTHERAPY FOR PREVENTION OF ORAL MUCOSITIS FOLLOWING HIGH DOSE METHOTRXATE IN CHILDREN WITH ACUTE LYMPHOBLASTIC LEUKEMIA- A RANDOMISED CONTROLLED STUDY |
| 256 | MD (PAEDIATRICS) | KNOWLEDGE AND PERCEPTION OF THEIR OWN DISEASE AMONG ADOLESCENT CANCER PATIENTS AND SURVIVORS- A CROSS SECTIONAL OBSERVATIONAL STUDY |
| 257 | MD (PAEDIATRICS) | PREVALENCE OF PERIPHERAL NEUROPATHY IN CHILDREN WITH JUVENILE IDIOPATHIC ARTHRITIS |
| 258 | MD (PAEDIATRICS) | SERUM HDL-CHOLESTEROL LEVEL AS A PREDICTOR OF OUTCOMES IN CHILDREN WITH SEPSIS ADMITTED TO PICU |
| 259 | MD (PAEDIATRICS) | COGNITIVE EMOTIONAL AND BEHAVIORAL PROBLEMS IN THE CHILDREN AGED 6-16 YEARS WITH EPILEPSY: A CROSS SECTIONAL STUDY |
| 260 | MD (PAEDIATRICS) | METABOLIC PROFILE IN PATIENTS OF RASOPATHY |
| 261 | MD (PATHOLOGY) | EVALUATION OF MONOCYTE HLA-DR EXPRESSION AND SEPSIS INDEX USING RATION OF NEUTROPHIL CD64 AND MONOCYTE HLA-DR AS BIOMARKERS OF SEPSIS IN CRITICALLY ILL PATIENTS |
| 262 | MD (PATHOLOGY) | CLINICAL UTILITY OF IMMATURE PLATELET FRACTION IN THE CHARACTERIZATION THROMBOCYTOPENIA |
| 263 | MD (PATHOLOGY) | EXPRESSION PROFILE OF P53, KI-67 AND HER-2/NEU AND ITS ASSOCIATION WITH CLINICAL AND HISTOPATHOLOGICAL PROGNOSTIC FACTORS IN PATIENTS OF COLORECTAL CARCINOMA |
| 264 | MD (PATHOLOGY) | COMPARISON OF TOUCH IMPRINT CYTOLOGY WITH HISTOPATHOLOGY IN OVARIAN NEOPLASMS |
| 265 | MD (PATHOLOGY) | EXPRESSION PROFILE OF P16, P53 AND HER2/NEU AND ITS ASSOCIATION WITH CLINICAL AND HISTOPATHOLOGICAL PROGNOSTIC FACTORS IN PATIENTS OF ENDOMETRIAL CARCINOMA |
| 266 | MD (PATHOLOGY) | EVALUATION OF NEWER RETICULOCYTE PARAMETERS (RET-HE AND DELTA-HE) IN COMPARISON TO THE CONVENTIONAL PARAMETERS FOR THE DIAGNOSIS OF IRON DEFICIENCY ANEMIA IN CRITICALLY ILL PATIENTS |
| 267 | MD (PATHOLOGY) | CYTOLOGICAL ANALYSIS OF SEROUS EFFUSION FLUIDS USING INTERNATIONAL SYSTEM OF REPORTING FLUID CYTOPATHOLOGY |
| 268 | MD (PATHOLOGY) | CYTOLOGICAL EXPRESSION OF P16 IN METASTATIC CERVICAL LYMPH NODES FROM ORAL AND OROPHARYNGEAL SQUAMOUS CELL CARCINOMA |

17/c

| | | |
|-----|----------------------|---|
| 269 | MD (PMR) | EFFICACY OF MOTOR IMAGERY IN PATIENTS WITH CHRONIC LOW BACK PAIN |
| 270 | MD (PMR) | ASSESSMENT OF BLADDER DYSFUNCTION IN SPINAL CORD INJURY AND IT'S CORRELATION WITH NEUROLOGICAL LEVEL OF INJURY |
| 271 | MD (PSYCHIATRY) | COMPARISON OF WHO DISABILITY ASSESSMENT SCHEDULE 2.0 WITH CONVENTIONAL METHODS FOR ASSESSMENT OF DISABILITY IN PSYCHIATRIC DISABILITIES AND MULTIPLE DISABILITIES |
| 272 | MD (PSYCHIATRY) | DEVELOPMENT OF AN INDIGENOUS TOOL TO ASSESS THE INFLUENCE OF MIMETIC DESIRE ON THE CHOICE OF SPECIALISATION MADE BY RESIDENTS AND FACULTIES |
| 273 | MD (PSYCHIATRY) | ASSOCIATION OF SYMPTOMS OF ATTENTION-DEFICIT HYPERACTIVITY DISORDER WITH SEVERITY OF OBSESSIVE-COMPULSIVE DISORDER |
| 274 | MD (PSYCHIATRY) | ASSOCIATION OF QUANTITATIVE ANALYSIS OF EEG SIGNALS WITH CLINICAL SYMPTOMS IN PERSONS WITH SCHIZOPHRENIA. |
| 275 | MD (PSYCHIATRY) | PROFILE OF FACIAL EXPRESSIONS AND SPEECH CHARACTERISTICS IN PERSONS WITH SCHIZOPHRENIA |
| 276 | MD (PSYCHIATRY) | ASSOCIATION OF MOBILE PHONE ADDICTION WITH ANXIETY DISORDER IN ADULTS |
| 277 | MD (PSYCHIATRY) | ASSOCIATION OF SMART PHONE ADDICTION WITH ATTENTION DEFICIT HYPERACTIVE DISORDER IN CHILDREN |
| 278 | MD (RADIO DIAGNOSIS) | MRI BASED MORPHOMETRIC ANALYSIS OF CORPUS CALLOSUM DIMENSIONS IN ADULTS |
| 279 | MD (RADIO DIAGNOSIS) | MRI BASED MORPHOMETRIC ANALYSIS OF PITUITARY GLAND IN ADULTS |
| 280 | MD (RADIO DIAGNOSIS) | COMPUTED TOMOGRAPHY PERFUSION IMAGING IN EVALUATION OF NECK MASSES |
| 281 | MD (RADIO DIAGNOSIS) | MRI CSF FLOWMETRY PARAMETERS IN EVALUATION OF HYDROCEPHALUS |
| 282 | MD (RADIO DIAGNOSIS) | ASSOCIATION OF NCCT BRAIN FINDINGS IN ACUTE ISCHEMIC STROKE WITH CLINICAL SEVERITY |
| 283 | MD (RADIO DIAGNOSIS) | DIFFUSION TENSOR IMAGING OF PERILESIONAL WHITE MATTER EDEMA IN INTRACRANIAL SPACE OCCUPYING LESIONS |

16/c

| | | |
|-----|----------------------|---|
| 284 | MD (RADIO DIAGNOSIS) | ASSESSMENT OF WHITE MATTER DISRUPTION USING DIFFUSION TENSOR IMAGING IN PATIENTS OF ALCOHOL DEPENDENCE |
| 285 | MD (RADIO DIAGNOSIS) | MAGNETIC RESONANCE IMAGING EVALUATION OF BONE MARROW DISORDERS |
| 286 | MD (RADIO DIAGNOSIS) | ADVANCED MAGNETIC RESONANCE IMAGING IN PATIENTS WITH SELLAR AND PARASELLAR BRAIN MASSES |
| 287 | MD (RADIO DIAGNOSIS) | MULTI PARAMETRIC MRI COMPARED TO CT FOR PRE-OPERATIVE STAGING OF LARYNGEAL CARCINOMA |
| 288 | MD (RADIO DIAGNOSIS) | SONOGRAPHIC EVALUATION IN DIAGNOSIS OF FROZEN SHOULDER |
| 289 | MD (RADIO DIAGNOSIS) | STUDY OF ANOMALOUS PULMONARY VENOUS DRAINAGE IN INFANTS USING CARDIOVASCULAR MULTIDETECTOR COMPUTED TOMOGRAPHY |
| 290 | MD (RADIO DIAGNOSIS) | ANATOMICAL VARIATIONS OF CELIAC TRUNK, HEPATIC AND RENAL ARTERIES DETECTED USING MULTIDETECTOR COMPUTED TOMOGRAPHY |
| 291 | MD (RADIO DIAGNOSIS) | SPECTRUM OF FINDINGS IN AORTO-ILIAC DISEASES ON MULTIDETECTOR CT ANGIOGRAPHY |
| 292 | MD (RADIO DIAGNOSIS) | COMPUTED TOMOGRAPHY AND PULMONARY ANGIOGRAPHY FINDINGS IN PATIENTS SUSPECTED OF PULMONARY THROMBOEMBOLISM |
| 293 | MICROBIOLOGY | COMPARISON OF DIAGNOSTIC EFFICACY OF ANTI-TISSUE TRANSGLUTAMINASE AND ANTI-DEAMIDATED GLIADIN PEPTIDE ANTIBODIES FOR DIAGNOSIS OF CELIAC DISEASE IN PAEDIATRIC POPULATION |
| 294 | MICROBIOLOGY | STANDARDIZATION OF DIRECT DISK DIFFUSION (DDD) TEST FROM POSITIVELY FLAGGED BLOOD CULTURE BOTTLES FOR SALMONELLA TYPHI |
| 295 | MICROBIOLOGY | ETIOLOGICAL PROFILE AND ANTIMICROBIAL SUSCEPTIBILITY PATTERN OF ANAEROBES IN PYOGENIC LIVER ABSCESS IN A TERTIARY CARE HOSPITAL |
| 296 | MICROBIOLOGY | SERUM BIOMARKERS PROFILE IN DIAGNOSED CASES OF SPONTANEOUS BACTERIAL PERITONITIS |
| 297 | MICROBIOLOGY | PROFILE AND CLASSIFICATION OF INVASIVE FUNGAL DISEASE IN PATIENTS WITH HAEMATOLOGIC MALIGNANCIES USING MICROSCOPY, CULTURE, BIOMARKERS AND POLYMERASE CHAIN REACTION |
| 298 | MICROBIOLOGY | COMPARISON OF MOLECULAR & PHENOTYPIC DIAGNOSTIC METHODS FOR DETECTION OF TUBERCULOUS MENINGITIS IN PEDIATRIC POPULATION |

| | | |
|-----|----------------------|---|
| 299 | MICROBIOLOGY | MICROBIOLOGICAL PROFILING OF NON-RESOLVING PNEUMONIA IN IMMUNOCOMPETENT PATIENTS |
| 300 | MICROBIOLOGY | PROSPECTIVE STUDY OF ANTIBIOTIC DE-ESCALATION PRACTICES IN INTENSIVE CARE UNIT PATIENTS IN A TERTIARY CARE HOSPITAL |
| 301 | MICROBIOLOGY | PREVALENCE OF OCCULT HEPATITIS B VIRUS INFECTION AMONG PATIENTS WITH NEWLY DIAGNOSED MALIGNANCY AT A TERTIARY CARE HOSPITAL |
| 302 | MICROBIOLOGY | A STUDY OF SURGICAL SITE INFECTION RATE, AETIOLOGICAL AGENTS AND ANTIMICROBIAL SUSCEPTIBILITY PATTERN IN GENERAL SURGERY |
| 303 | MICROBIOLOGY | A STUDY OF AETIOLOGICAL AGENTS AND ANTIMICROBIAL SUSCEPTIBILITY PATTERN IN CASES OF NEONATAL SEPSIS |
| 304 | MS (GENERAL SURGERY) | TYPHOID INTESTINAL PERFORMANCE SCORE (TIPPS) AS A PREDICTOR OF POSTOPERATIVE MORTALITY IN INTESTINAL PERFORATION. |
| 305 | MS (GENERAL SURGERY) | COMPARISON OF MPI AND POSSUM SCORING SYSTEM FOR PREDICTION OF MORTALTY IN PATIENTS WITH PERFORATION PERITONITIS |
| 306 | MS (GENERAL SURGERY) | PANCREATITIS ACTIVITY SCORING SYSTEM AS A PREDICTOR OF COMPLICATIONS IN PATIENTS OF ACUTE PANCREATITIS |
| 307 | MS (GENERAL SURGERY) | COMPARISON OF PIPAS AND QSOFA SCORE FOR PREDICTING 30 DAYS MORTALITY IN PATIENTS OF PERFORATION PERITONITIS |
| 308 | MS (GENERAL SURGERY) | COMPARISON OF THE MARGINAL TOE NAIL ELEVATION COMBINED WITH SURGICAL EXCISION OF THE GRANULATION TISSUE VS SEGMENTAL MATRIX RESECTION FOR MANAGEMENT OF INGROWING TOE NAIL. |
| 309 | MS (GENERAL SURGERY) | PREDICTION OF EXPLORATORY LAPAROTOMY IN BLUNT TRAUMA ABDOMEN USING CASS CLINICAL ABDOMINAL SCORING SYSTEM |
| 310 | MS (GENERAL SURGERY) | ETIOLOGICAL PROFILE, AND POSTOPERATIVE OUTCOME IN PATIENTS WITH PERFORATION PERITONITIS |
| 311 | MS (GENERAL SURGERY) | ROLE OF PRE-OPERATIVE THYROGLOBULIN LEVEL IN DIFFERENTIATION OF BENIGN AND MALIGNANT FOLLICULAR THYROID NEOPLASMS |
| 312 | MS (GENERAL SURGERY) | STUDY OF RISK FACTORS FOR COMPLICATIONS OF LOWER LIMB AMPUTATION SURGERY |
| 313 | MS (GENERAL SURGERY) | ASSOCIATION BETWEEN LEVEL OF BIOMARKERS AND ANKLE-BRACHIAL PRESSURE INDEX (ABPI) IN PATIENTS WITH PERIPHERAL ARTERIAL DISEASE |

157c

14/c

| | | |
|-----|-------------------------------|--|
| 314 | MS (GENERAL SURGERY) | LAPAROSCOPIC GUIDED TAP (TRANSVERSUS ABDOMINIS PLANE) BLOCK VS PORT SITE INFILTRATION FOR POST OPERATIVE PAIN RELIEF AFTER TRANSABDOMINAL PREPERITONEAL (TAPP) INGUINAL HERNIA REPAIR |
| 315 | MS (GENERAL SURGERY) | COMPARISON OF RATES OF PERIOPERATIVE COMPLICATIONS IN EXTENDED VIEW TOTALLY EXTRAPERITONEAL RIVES STOPPA (ETEP RS) REPAIR VS TRANSABDOMINAL RETROMUSCULAR (TARM) REPAIR IN PATIENTS WITH VENTRAL HERNIA. |
| 316 | MS (GENERAL SURGERY) | COMPARISON OF ENDOVENOUS LASER ABLATION WITH TRENDELENBERG PROCEDURE WITH STRIPPING OF GREAT SAPHENOUS VEIN FOR EARLY POST OPERATIVE COMPLICATION IN PATIENTS WITH VARICOSE VEINS |
| 317 | MS (GENERAL SURGERY) | COMPARISON OF REINFORCED SUTURE CLOSURE VERSUS CONVENTIONAL WOUND CLOSURE IN EMERGENCY MIDLINE LAPAROTOMY IN TERMS OF EARLY POST OPERATIVE COMPLICATIONS – A RANDOMISED CONTROL STUDY |
| 318 | MS (GENERAL SURGERY) | COMPARISON OF GLUE FIXATION VS QUILTING OF FLAPS FOR EARLY SEROMA FORMATION AFTER MODIFIED RADICAL MASTECTOMY (MRM): A RANDOMISED CONTROLLED STUDY |
| 319 | MS (GENERAL SURGERY) | COMPARISON OF POST OPERATIVE PAIN IN PATIENTS OF LASER HAEMORRHOIDOPLASTY AND STAPLED HAEMORRHOIDOPEXY IN THE MANAGEMENT OF PRIMARY INTERNAL HAEMORRHOIDS |
| 320 | MS (GENERAL SURGERY) | COMPARISON OF POST OPERATIVE COMPLICATIONS IN INGUINAL HERNIA REPAIR UNDERGOING LICHTENSTEIN PROCEDURE WITHOUT AND WITH MESH-FIXATION : A RANDOMISED CONTROLLED STUDY |
| 321 | MS (GENERAL SURGERY) | TO PREDICT EFFICACY OF MODIFIED RANDHAWA SCORING SYSTEM IN PREDICTING DIFFICULTY IN LAPAROSCOPIC CHOLECYSTECTOMY. |
| 322 | MS (GENERAL SURGERY) | STUDY OF RISK FACTORS FOR COMPLICATIONS IN STOMA REVERSAL SURGERY |
| 323 | MS (OBSTETRICS & GYNAECOLOGY) | BODY FAT MEASUREMENT IN FIRST TRIMESTER BY CLINICAL AND ULTRASONOGRAPHIC PARAMETERS AS PREDICTOR OF GESTATIONAL DIABETES MELLITUS |
| 324 | MS (OBSTETRICS & GYNAECOLOGY) | DECREASED FETAL MOVEMENT AT TERM AS A PREDICTOR OF PERINATAL OUTCOME |
| 325 | MS (OBSTETRICS & GYNAECOLOGY) | FETOMATERNAL MONITORING IN LATENT AND ACTIVE PHASE OF LABOR TO DETECT ADVERSE PREGNANCY OUTCOME |
| 326 | MS (OBSTETRICS & GYNAECOLOGY) | COMPARISON OF PRIMARY HUMAN PAPILOMA VIRUS TESTING, LIQUID BASED CYTOLOGY AND CO-TESTING FOR CERVICAL CANCER SCREENING |
| 327 | MS (OBSTETRICS & GYNAECOLOGY) | POSTMENOPAUSAL SYMPTOMS IN TRANSITION PHASE OF REPRODUCTIVE CYCLE |
| 328 | MS (OBSTETRICS & GYNAECOLOGY) | STUDY OF MATERNAL RISK FACTORS IN SINGLETON PRETERM DELIVERY |

| | | |
|-----|-------------------------------|--|
| 329 | MS (OBSTETRICS & GYNAECOLOGY) | HYSTEROSCOPIC EVALUATION IN ASYMPTOMATIC POST MENOPAUSAL WOMEN WITH INCREASED ENDOMETRIAL THICKNESS |
| 330 | MS (OBSTETRICS & GYNAECOLOGY) | COMPARISON OF FOETAL MYOCARDIAL PERFORMANCE INDEX IN WOMEN WITH AND WITHOUT GESTATIONAL DIABETES MELLITUS |
| 331 | MS (OPHTHALMOLOGY) | PUPILLARY DYNAMICS IN VARYING SEVERITY OF DIABETIC RETINOPATHY: AN OBSERVATIONAL CROSS SECTIONAL STUDY |
| 332 | MS (OPHTHALMOLOGY) | CORNEAL CURVATURE CHANGES FOLLOWING COLLAGEN CROSSLINKING IN PATIENTS WITH KERATOCONUS HAVING ULTRA THIN CORNEAS : A PROSPECTIVE OBSERVATIONAL STUDY |
| 333 | MS (OPHTHALMOLOGY) | INCIDENCE OF POSTOPERATIVE DEVELOPMENT OF NEOVASCULAR GLAUCOMA IN PATIENTS OF PROLIFERATIVE DIABETIC RETINOPATHY UNDERGOING 25 GAUGE VITRECTOMY |
| 334 | MS (OPHTHALMOLOGY) | COMPARISON OF CENTRAL CORNEAL THICKNESS MEASURED USING ANTERIOR SEGMENT OPTICAL COHERENCE TOMOGRAPHY AND CORNEAL TOPOGRAPHY WITH ULTRASONIC PACHYMETRY IN PATIENTS WITH PRIMARY ADULT GLAUCOMAS |
| 335 | MS (ORTHOPEDECS) | THE EFFECT OF KNEE OSTEOARTHRITIS ON THE CLINICO-RADIOLOGICAL OUTCOME OF INTERTROCHANTERIC FRACTURES FIXED WITH INTERAMEDULLARY NAILING |
| 336 | MS (ORTHOPEDECS) | POST OPERATIVE HIP KNEE ANKLE ANGLE AND IT'S RELATIONSHIP WITH PATIENT REPORTED CLINICAL OUTSOME MEASURES IN PRIMARY TOTAL KNEE ARTHROPLASTY |
| 337 | MS (ORTHOPEDECS) | COMPARATIVE EVALUATION OF THE EFFECT OF INTRAVENOUS VERSUS ORAL TRANEXAMIC ACID ON BLOOD LOSS IN PRIMARY TOTAL HIP ARTHROPLASTY |
| 338 | MS (ORTHOPEDECS) | STUDY THE CORRELATION OF DIFFERENCE IN NATIVE ANTERIOR CRUCIATE LIGAMENT DIAMETER AND HARVESTED GRAFT DIAMETER ON THE FUNCTIONAL OUTCOME IN ARTHROSCOPIC ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION |
| 339 | MS (ORTHOPEDECS) | EFFECT OF BONE TUNNEL IMPACTION TECHIQUE ON TIBIAL TUNNEL WIDENING IN ARTHROSCOPIC ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION |
| 340 | MS (ORTHOPEDECS) | FUNCTIONAL OUTCOME OF ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ALONG WITH THE PROCEDURE OF LATERAL EXTRA ARTICULAR TENODESIS IN COMPLETE ANTERIOR CRUCIATE LIGAMENT TEAR |
| 341 | MS (ORTHOPEDECS) | "CLINICO RADIOLOGICAL OUTCOMES OF WEDGELESS SUPRACONDYLAR "V" OSTEOATOMY TO CORRECT GENU VALGUM DEFORMITY: A PROSPECTIVE OSBERTATIONAL STUDY" |
| 342 | MS (ORTHOPEDECS) | COMPARISION OF FUNCTIONAL OUTCOME OF CAST IMMOBLISATION VS FUNCTIONAL SUPPORT IN GRADE 1 & 2 ACUTE ANKLE SPRAIN |
| 343 | MS (ORTHOPEDECS) | PREDICTORS OF POST OPERATIVE NEUROPATHIC PAIN IN TOTAL KNEE ARTHROPLASTY |

| | | |
|-----|---------------------------------|---|
| 344 | MS (ORTHOPEDECS) | EFFECT OF DOUBLE STITCH TECHNIQUE ON RESTORING LIMB LENGTH IN TOTAL HIP ARTHROPLASTY |
| 345 | MS (OTORHINOLARYNGOLO GY) | CORRELATION OF DEGREE OF HEARING LOSS AND GRADE OF ADENOID HYPERTROPHY IN 5-17 YEARS AGE GROUP |
| 346 | MS (OTORHINOLARYNGOLO GY) | COMPARATIVE STUDY OF HEARING OUTCOMES IN TYPE 1 TYMPANOPLASTY WITH AND WITHOUT GEL FOAM IN MIDDLE EAR |
| 347 | MS (OTORHINOLARYNGOLO GY) | PREVALENCE OF SUBMANDIBULAR GLAND INVOLVEMENT IN ORAL CAVITY SQUAMOUS CELL CARCINOMA |
| 348 | MS (OTORHINOLARYNGOLO GY) | PREVALENCE OF SENSORINEURAL HEARING LOSS IN UNILATERAL MUCOSAL CHRONIC OTITIS MEDIA |
| 349 | MS (OTORHINOLARYNGOLO GY) | COMPARISON OF REFLUX SYMPTOM INDEX (RSI) AND REFLUX FINDING SCORE (RFS) IN LARYNGOPHARYNGEAL REFLUX PRE AND POST TREATMENT |
| 350 | OBST. & GYNAE. | A STUDY OF SURGICAL SITE INFECTION AND THEIR OUTCOMES FOLLOWING OBSTETRIC AND GYNAECOLOGICALSURGERIES:APROSPECTIVE OBSERVATIONALSTUDY. |
| 351 | OBST. & GYNAE. | FETALHAEMOGLOBIN,CYSTAINC,PREGNANCY-ASSOCIATEDPLASMAPROTEIN-AALONGWITH UTERINEARTERYDOPPLERASPOTENTIALPREDICTIVE FIRST TRIMESTER MARKERS OF PREECLAMPSIA. |
| 352 | OBST. & GYNAE. | STUDY OF SERUM CALCIUM, MAGNESIUM AND URICACIDANDITSCORRELATIONWITHOUTCOMES INPREGNANTWOMENWITHANDWITHOUT HYPERTENSIVEDISORDERS. |
| 353 | OBST. & GYNAE. | PREDICTION OF ADVERSE PREGNANCY OUTCOMES BY USING COMBINATION OF MATERNAL CHARACTERISTICS,MEANARTERIALPRESSUREAND UTERINE ARTERIAL DOPPLER AT 11-14 WEEKS OF PREGNANCY. |
| 354 | OBST. & GYNAE. | PAP SMEAR VERSUS VISUAL INSPECTION WITH ACETIC ACID AND LUGOL'S IODINE AS A SCREENING TOOL FOR CERVICAL CANCER-A COMPARATIVE STUDY. |
| 355 | OBST. & GYNAE. | THEROLEOFMRIINMANAGEMENTOFULTRASONOGRAPHICALLYINDETERMINATEADNEXAL |
| 356 | OBST. & GYNAE. | TO STUDY THE PREDICTIVE VALUE OF NEUTROPHIL TO LYMPHOCYTE RATIO AND MEAN PLATELET VOLUMEFORHEDIAGNOSISOFINTRAHEPATIC CHOLESTASISOPREGNANCY. |
| 357 | OBST. & GYNAE. | COMPARATIVE ANALYSIS OF ORAL IRON WITH INJECTABLE FERRIC CARBOXYMALTOS FOR TREATMENTOFPOST-PARTUMIRONDEFICIENCY ANAEMIA. |
| 358 | OBST. & GYNAE. | FIRST TRIMESTER SERUM VISFATIN AND LEPTIN AS PREDICTIVE BIOMARKERS OF GESTATIONAL DIABETES MELLITUS |

w/c

| | | |
|-----|----------------|--|
| 359 | OBST. & GYNAE. | EFFECT OF FIRST TRIMESTER BODY MASS INDEX ON OCCURRENCE OF GESTATIONAL DIABETES AND HYPERTENSIVE DISORDERS IN PREGNANCY |
| 360 | OBST. & GYNAE. | ASSOCIATION OF CESAREAN SCAR DEFECT WITH ABNORMAL MENSTRUAL PATTERNS IN WOMEN WITH SECONDARY INFERTILITY |
| 361 | OBST. & GYNAE. | ASSOCIATION OF AMNIOTIC FLUID SLUDGE ON ULTRASONOGRAPHY WITH PRETERM DELIVERY |
| 362 | OBST. & GYNAE. | PERINATAL OUTCOME IN EARLY AND LATE ONSET OF GESTATIONAL DIABETES MELLITUS |
| 363 | OBST. & GYNAE. | CORRELATION OF RESPIRATORY ADJUSTED SHOCK INDEX WITH LACTATE LEVELS IN WOMEN WITH OBSTETRIC INFECTION |
| 364 | OBST. & GYNAE. | COMPARISON OF SERUM ANTI-MULLERIAN HORMONE LEVELS WITH ANTRAL FOLLICLE COUNT AS PREDICTOR OF OVARIAN RESPONSE IN WOMEN UNDERGOING REPRODUCTIVE TECHNOLOGY CYCLES |
| 365 | OBST. & GYNAE. | EFFECT OF BODY MASS INDEX ON VASOMOTOR AND UROGENITAL SYMPTOMS IN POSTMENOPAUSAL WOMEN |
| 366 | OBST. & GYNAE. | PREDICTION OF GESTATIONAL DIABETES MELLITUS WITH HEMATOLOGICAL PARAMETERS AND GLYCOSYLATED HEMOGLOBIN |
| 367 | OBST. & GYNAE. | ASSOCIATION OF MODIFIED BIOPHYSICAL PROFILE, PLACENTAL POSITION AND UMBILICAL ARTERY PH WITH PERINATAL OUTCOME IN WOMEN WITH DECREASED FETAL MOVEMENTS |
| 368 | OBST. & GYNAE. | PREDICTION OF INTRA OPERATIVE ADHESIONS IN REPEAT CESAREAN SECTIONS USING DIFFERENT PRE-OPERATIVE DIAGNOSTIC SCORING SYSTEMS |
| 369 | OBST. & GYNAE. | NECK CIRCUMFERENCE FOR PREDICTION OF INSULIN RESISTANCE IN POLYCYSTIC OVARIAN SYNDROME |
| 370 | OBST. & GYNAE. | LABOR RELATED INDICATIONS AS DETERMINANT FOR PRIMARY CESAREAN DELIVERIES IN VARIOUS ROBSON GROUPS |
| 371 | OBST. & GYNAE. | PREDICTION OF PREECLAMPSIA IN GESTATIONAL HYPERTENSION USING PLATELET COUNT AND MEAN PLATELET VOLUME |
| 372 | OBST. & GYNAE. | C-REACTIVE PROTEIN-ALBUMIN RATIO FOR PREDICTIOIN OF SURGICAL SITE INFECTIONS IN ABDOMINAL OBSTETRIC AND GYNAECOLOGICAL SURGERIES |
| 373 | OBST. & GYNAE. | GROBMAN SRCORE FOR PREDICTION OF SUCCESSFUL TRIAL OF LABOUR AFTER CESAREAN SECTION |

10/c

| | | |
|-----|----------------|--|
| 374 | OBST. & GYNAE. | COMPARISON OF CONVENTIONAL WITH THREE RING VULVOSCOPY FOR DIAGNOSIS OF VULVAL DISORDERS |
| 375 | OBST. & GYNAE. | PREDICTION OF MATERNO-FETAL OUTCOME IN GESTATIONAL DIABETES MELLITUS USING SFLT1/PLGF RATIO IN THIRD TRIMESTER |
| 376 | OBST. & GYNAE. | ASSOCIATION OF SERUM ESTRADIOL AND PROGESTERONE LEVELS ONE DAY PRIOR TO FROZEN EMBRYO TRANSFER WITH CLINICAL PREGNANCY RATE |
| 377 | OBST. & GYNAE. | MATERNAL OUTCOMES IN WOMEN POST DISCHARGE FROM OBSTETRIC CRITICAL CARE UNIT |
| 378 | OBST. & GYNAE. | COMPARISON OF 3-D TRANSVAGINAL ULTRASOUND WITH HYSTEROSCOPY IN DIAGNOSING UTERINE ABNORMALITIES IN INFERTILE WOMEN |
| 379 | OBST. & GYNAE. | VISCERAL ADIPOSITY INDEX AND LIPID ACCUMULATION PRODUCT FOR PREDICTION OF INSULIN RESISTANCE IN POLYCYSTIC OVARY SYNDROME |
| 380 | OBST. & GYNAE. | SURGICAL SITE INFECTION IN CONTINUOUS VERSUS INTERRUPTED SUBCUTANEOUS CLOSURE DURING PRIMARY CAESAREAN DELIVERY |
| 381 | OBST. & GYNAE. | CHLAMYDIA TRACHOMATIS NEISSERIA GONORRHOEA AND TRICHOMONAS VAGINALIS IN WOMEN UNDERGOING ELECTIVE CAESAREAN DELIVERY |
| 382 | OBST. & GYNAE. | PERINATAL OUTCOME OF FETUSES PREDICTED TO BE LARGE FOR GESTATIONAL AGE ON THIRD TRIMESTER ULTRASOUND |
| 383 | OBST. & GYNAE. | PREDICTION OF OOCYTE YIELD WITH SERUM LH LEVELS FOLLOWING OVULATION TRIGGER IN ART CYCLES |
| 384 | OBST. & GYNAE. | ASSOCIATION OF SFLT-1/PLGF RATIO WITH MATERNAL AND FETAL OUTCOMES IN PREECLAMPSIA |
| 385 | OBST. & GYNAE. | ASSOCIATION OF UMBILICAL CORD BLOOD PH IN WOMEN UNDERGOING LSCS FOR CATEGORY II AND III CARDIOTOCOGRAPHY |
| 386 | OBST. & GYNAE. | ROLE OF UTERINE ARTERY EMBOLIZATION IN THE MANAGEMENT OF VASCULAR RETAINED PRODUCTS OF CONCEPTION |
| 387 | OPHTHALMOLOGY | EVALUATION OF IMPACT OF PRE OPERATIVE VERBAL VERSUS VIDEO ENHANCED VERBAL COUNSELLING ON PATIENT EXPERIENCE DURING PHACOEMULSIFICATION UNDER TOPICAL ANAESTHESIA |
| 388 | OPHTHALMOLOGY | EVALUATION OF REFRACTIVE ERROR PATTERN IN PATIENTS OF UNILATERAL SIMPLE CONGENITAL PTOSIS |

| | | |
|-----|---------------|---|
| 389 | OPHTHALMOLOGY | EFFECTS OF INTRAVITREAL INJECTION OF RANIBIZUMAB IN TREATMENT OF RETINOPATHY OF PREMATURITY |
| 390 | OPHTHALMOLOGY | EFFECT OF GLYCEMIC CONTROL ON PROGRESSION OF NON PROLIFERATIVE DIABETIC RETINOPATHY |
| 391 | OPHTHALMOLOGY | GOLDMANN'S APPLANATION TONOMETER VERSUS NON- CONTACT TONOMETER FOR COMPARISON OF INTRAOCULAR PRESSURE |
| 392 | OPHTHALMOLOGY | TO COMPARE CENTRAL CORNEAL THICKNESS AND INTRAOCULAR PRESSURE IN DIABETIC AND NON-DIABETIC PATIENTS |
| 393 | OPHTHALMOLOGY | EVALUATION OF THE MORPHOLOGY OF CHOROIDAL NEOVASCULAR MEMBRANE USING OPTICAL COHERENCE TOMOGRAPHY AND OCT ANGIOGRAPHY AND ITS CORRELATION WITH THE VISUAL ACUITY DEFICIT. |
| 394 | OPHTHALMOLOGY | TO STUDY THE CORRELATION BETWEEN RETINAL ISCHEMIA AND MACULAR EDEMA IN RETINAL VEIN OCCLUSION BY USING OPTICAL COHERENCE TOMOGRAPHY ANGIOGRAPHY. |
| 395 | OPHTHALMOLOGY | EVALUATION OF CHORIORETINAL ABNORMALITIES IN CENTRAL SEROUS CHORIORETINOPATHY AND THEIR CORRELATION WITH THE VISUAL ACUITY DEFICIT. |
| 396 | ORTHOPAEDICS | FUNCTIONAL OUTCOME OF TRANSOSSEOUS SUTURE REPAIR WITH CERCLAGE OR WITH FIGURE OF EIGHT TENSION BAND IN INFERIOR POLE PATELLA FRACTURE |
| 397 | ORTHOPAEDICS | CORRELATION BETWEEN COMPONENT ALIGNMENT AND CLINICAL OUTCOME IN TOTAL KNEE ARTHROPLASTY |
| 398 | ORTHOPAEDICS | FUNCTIONAL OUTCOME OF ARTROSCOPIC POSTERIOR CRUCIATE LIGAMENT RECONSTRUCTION WITH PERONEUS LONGUS TENDON GRAFT |
| 399 | ORTHOPAEDICS | FUNCTIONAL OUTCOMES OF SIMULTANEOUS MENISCAL TEAR REPAIR AND ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION |
| 400 | ORTHOPAEDICS | EFFICACY OF THE PONSETI METHOD FOR CLUB FOOT MANAGEMENT USING PONSETI CLUBFOOT NAVIGATOR SYSTEM |
| 401 | ORTHOPAEDICS | CLINICORADIOLOGICAL EVALUATION OF POTT'S SPINE USING ATT (ANTI TUBERCULAR THERAPY) AS PER DOTS (DIRECTLY OBSERVED TREATMENT SHORT-COURSE) REGIMEN AT 9 & 12 MONTHS |
| 402 | ORTHOPAEDICS | FUNCTIONAL OUTCOME OF OPEN REDUCTION AND INTERNAL FIXATION OF UNSTABLE PROXIMAL HUMERUS FRACTURE USING PROXIMAL HUMERUS LOCKING PLATE AUGMENTED WITH TITANIUM MESH CAGE |
| 403 | ORTHOPAEDICS | FUNCTIONAL AND RADIOLOGICAL ASSESSMENT OF FAR ANTEROMEDIAL AND ACCESSORY ANTEROMEDIAL PORTAL IN FEMORAL TUNNEL CREATION FOR ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION |

9/c

8/c

| | | |
|-----|--------------|---|
| 404 | ORTHOPAEDICS | FUNCTIONAL OUTCOMES OF MINIOPEN TRANSFORAMINAL LUMBAR INTERBODY FUSION WITH UNILATERAL PEDICLE SCREW FIXATION IN DEGENERATIVE DISEASES |
| 405 | ORTHOPAEDICS | EVALUATION OF FUNCTIONAL AND RADIOLOGICAL OUTCOMES OF DUAL PLATING IN UNSTABLE DISTAL FEMUR FRACTURE |
| 406 | ORTHOPAEDICS | EVALUATION OF PRONATED CLENCHED-FIST STRESS RADIOGRAPHS IN DIAGNOSIS OF CHRONIC RADIO-ULNAR JOINT INJURIES |
| 407 | ORTHOPAEDICS | COMPARATIVE STUDY OF CAUDAL EPIDURAL INJECTION ALONG WITH PHYSICAL THERAPY VS PHYSICAL THERAPY ALONE IN CHRONIC DISCOGENIC LOWER BACK ACHE WITH RADICULOPATHY |
| 408 | ORTHOPAEDICS | COMPARISON OF CLINICAL AND SURGICAL OUTCOMES OF SUPRAPATELLAR VERSUS INFRAPATELLAR APPROACHES OF INTERLOCKING NAILING FOR TIBIAL SHAFT FRACTURES. |
| 409 | ORTHOPAEDICS | CLINICO-RADIOLOGICAL OUTCOMES OF CORRECTIVE OSTEOTOMY IN GENU VALGUM STABILIZED BY K-WIRE FIXATION FROM 12 TO 18 YEARS OF AGE |
| 410 | ORTHOPAEDICS | FUNCTIONAL AND RADIOLOGICAL OUTCOME OF FIXATION OF FRACTURE NECK OF FEMUR WITH FEMORAL NECK SYSTEM (FNS) |
| 411 | ORTHOPAEDICS | OUTCOME OF HYBRID FIXATION FOR ADOLESCENT (10-16 YEARS) BOTH BONE FOREARM FRACTURES USING TITANIUM ELASTIC NAIL SYSTEM (TENS) FOR RADIUS AND PLATE AND SCREW FOR ULNA |
| 412 | PAEDIATRICS | PREVALENCE OF MALNUTRITION AMONG CHILDREN WITH PNEUMONIA |
| 413 | PAEDIATRICS | PREVALENCE OF DYSLIPIDEMIA AND ATHEROGENIC INDICES AMONG CHILDHOOD CANCER SURVIVORS |
| 414 | PAEDIATRICS | TWO HOURLY V/S THREE HOURLY FEEDING IN SMALL FOR GESTATIONAL AGE NEONATES WEIGHT < 1500 GRAMS |
| 415 | PAEDIATRICS | COMPARATIVE EVALUATION OF DIFFERENT NEONATAL SICKNESS SEVERITY SCORING SYSTEMS IN PREDICTING OUTCOMES AMONG EXTRAMURAL NEONATES |
| 416 | PAEDIATRICS | PREDICTORS OF MORTALITY IN EXTRAMURAL NEONATES ADMITTED IN TERTIARY CARE CENTER |
| 417 | PAEDIATRICS | HEALTHCARE ASSOCIATED INFECTIONS & THEIR CORRELATION WITH ENVIRONMENTAL SURVEILLANCE IN NEONATAL INTENSIVE CARE UNIT |
| 418 | PAEDIATRICS | EVALUATION OF 'PREPARE' TOOL FOR PROGNOSTICATION OF SEVERE PNEUMONIA IN CHILDREN |

| | | |
|-----|-------------|---|
| 419 | PAEDIATRICS | UTILITY OF POINT OF CARE ULTRASOUND IN SHOCK AND ITS ASSOCIATION WITH CLINICAL ASSESSMENT IN PAEDIATRIC EMERGENCY SETTING |
| 420 | PAEDIATRICS | TO EVALUATE THE GASTROINTESTINAL MANIFESTATIONS OF CELIAC DISEASE IN CHILDREN AND OUTCOME ON GLUTEN-FREE DIET |
| 421 | PAEDIATRICS | NEUTROPHIL TO LYMPHOCYTE RATIO AS BIOMARKER FOR DIFFERENTIATING PULMONARY TUBERCULOSIS FROM BACTERIAL COMMUNITY ACQUIRED PNEUMONIA IN CHILDREN |
| 422 | PAEDIATRICS | EVALUATION OF ADRENAL INSUFFICIENCY IN CHILDREN WITH FLUID REFRACTORY SEPTIC SHOCK |
| 423 | PAEDIATRICS | CORRELATION OF PAEDIATRIC EARLY WARNING SCORE (PEWS) WITH CLINICAL OUTCOME IN PAEDIATRIC CANCER PATIENTS |
| 424 | PAEDIATRICS | NASAL CONTINUOUS POSITIVE AIRWAY PRESSURE WITH RAM CANNULA VERSUS NASAL MASK IN REDUCING THE NEED FOR INVASIVE MECHANICAL VENTILATION IN PRETERM NEONATES |
| 425 | PAEDIATRICS | INCIDENCE AND RISK FACTORS FOR ACUTE KIDNEY INJURY IN NEWLY DIAGNOSED ACUTE LEUKEMIA IN CHILDREN DURING INDUCTION CHEMOTHERAPY |
| 426 | PAEDIATRICS | PREVALENCE OF OBSTRUCTIVE SLEEP APNEA IN CHILDREN WITH OBESITY |
| 427 | PAEDIATRICS | EVALUATION OF DYSNATREMIA IN CHILDREN WITH COMMUNITY ACQUIRED INFECTIONS |
| 428 | PAEDIATRICS | ACUTE KIDNEY INJURY AND ACID BASE ABNORMALITIES IN CHILDREN WITH ACUTE GASTROENTERITIS WITH SEVERE DEHYDRATION |
| 429 | PAEDIATRICS | HIGH DOSE METHOTREXATE INDUCED ACUTE KIDNEY INJURY IN CHILDREN WITH ACUTE LYMPHOBLASTIC LEUKEMIA |
| 430 | PAEDIATRICS | ELECTROCLINICAL RESPONSE TO HIGH DOSE PREDNISOLONE THERAPY IN CHILDREN WITH INFANTILE EPILEPTIC SPASM SYNDROME |
| 431 | PAEDIATRICS | NEONATAL TRANSPORT FACILITIES AND ITS EFFECT ON OUTCOME OF EXTRAMURAL NEONATES |
| 432 | PAEDIATRICS | FERRITIN-ALBUMIN RATIO AS A PROGNOSTIC MARKER IN CHILDREN WITH SEPSIS |
| 433 | PAEDIATRICS | HIGH SENSITIVITY C REACTIVE PROTEIN FOR ASSESSMENT OF ASTHMA CONTROL IN CHILDREN |

| | | |
|-----|-------------|---|
| 434 | PAEDIATRICS | EVALUATION OF LEVEL OF TRANSAMINASES IN OVERWEIGHT AND OBESE CHILDREN |
| 435 | PAEDIATRICS | ROLE OF SYSTEMIC IMMUNE INFLAMMATION INDEX AND SERUM BIOMARKERS IN DIFFERENTIATING SIMPLE AND COMPLICATED PARA PNEUMONIC EFFUSION |
| 436 | PAEDIATRICS | CORRELATION OF RED CELL DISTRIBUTION WIDTH WITH STEROID RESPONSE IN CHILDREN WITH NEPHROTIC SYNDROME |
| 437 | PAEDIATRICS | IMPACT OF EPILEPSY EDUCATIONAL MODULE ON CLINICAL ADHERENCE AND SEIZURE OUTCOME AND QUALITY OF LIFE IN CHILDREN WITH EPILEPSY |
| 438 | PAEDIATRICS | "ULTRASONOGRAPHY BASED ASSESSMENT OF SKELETAL MUSCLE MASS IN CHILDREN WITH NEPHROTIC SYNDROME ON PROLONGED GLUCOCORTICOID THERAPY: A CROSS-SECTIONAL ANALYTICAL STUDY |
| 439 | PAEDIATRICS | "CLINICO-ETIOLOGICAL PROFILE OF COMMUNITY ACQUIRED PNEUMONIA IN CHILDREN AGED 1 MONTH TO 12 YEARS ADMITTED TO A TERTIARY CARE HOSPITAL IN NORTH INDIA" |
| 440 | PAEDIATRICS | "PREDICATION OF LATE ONSET NEONATAL SEPSIS BASED ON C-REACTIVE PROTEIN-ALBUMIN RATION AND PROCCALCITONIN-ALBUMIN RATIO: DIAGNOSTIC ACCURACY STUDY" |
| 441 | PAEDIATRICS | "WEEKLY ORAL CHOLECALCIDEROL IN ACHIVING VITAMIN D SUFFCIENCY IN CHILDREN WITH PERSISTENT PROTEINURIA: A SINGLE GROUP INTERVENTIONAL STUDEY" |
| 442 | PAEDIATRICS | ASTUDYOFMYOCARDIALDYSFUNCTIONIN ADMITTED PAEDIATRIC DENGUE PATIENTS |
| 443 | PAEDIATRICS | A STUDY OF OVERACTIVEBLADDER IN 5-14 YEARS CHILDREN WITH FUNCTIONAL CONSTIPATION USING NON-INVASIVE URODYNAMIC STUDIES |
| 444 | PAEDIATRICS | EARLY DETECTION AND RISK STRATIFICATION OF ACUTE KIDNEY INJURY (AKI) USING RENAL ANGINA INDEX (RAI) IN CHILDREN ADMITTED IN PICU |
| 445 | PAEDIATRICS | STUDY OF PSYCHOSOCIAL PROBLEMS AND THEIR ASSOCIATION WITH SCREEN TIME AMONG CHILDREN AGED 5-10 YEARS |
| 446 | PAEDIATRICS | UMBILICAL CORD BLOOD PROCALCITONIN AND C-REACTIVE PROTEIN AS A PREDICTOR OF EARLY ONSET NEONATAL SEPSIS |
| 447 | PATHOLOGY | MATERNAL PLACENTAL GROWTH FACTOR & SFLT-1 LEVELS IN GESTATIONAL DIABETES MELLITUS |
| 448 | PATHOLOGY | IMMUNOHISTOCHEMICAL EXPRESSION OF PODOPLANIN, E-CADHERIN, K167 IN OVARIAN EPITHELIAL CARCINOMA AND THEIR ASSOCIATION WITH TNM STAGING |

510

| | | |
|-----|-----------|---|
| 449 | PATHOLOGY | IMMUNOHISTOCHEMICAL CHARACTERIZATION OF T LYMPHOCYTES AND MACROPHAGES IN POST BURN HYPERTROPHIC SCAR |
| 450 | PATHOLOGY | ASSOCIATION OF TUMOR INFILTRATING LYMPHOCYTES AND MACROPHAGES IN TUMOR MICROENVIRONMENT OF GLIOMA WITH WHO GRADING |
| 451 | PATHOLOGY | ASSOCIATION OF TUMOR BUDDING, E-CADHERIN AND TUMOR INFILTRATING LYMPHOCYTES WITH PROGNOSTIC FACTORS IN ENDOMETRIAL CARCINOMA |
| 452 | PATHOLOGY | TARGETED SEQUENCING OF CANCER RELATED GENES IN COLORECTAL CARCINOMA |
| 453 | PATHOLOGY | ASSOCIATION OF CD133 AND ALDH1A1 WITH THE PROGNOSTIC FACTORS IN UROTHELIAL CARCINOMA OF BLADDER |
| 454 | PATHOLOGY | EXPRESSION OF SATB2 TO DIFFERENTIATE OSTEOGENIC AND NON-OSTEOGENIC BONE TUMORS |
| 455 | PATHOLOGY | TARGETED SEQUENCING OF MALIGNANT BONE TUMOURS |
| 456 | PATHOLOGY | OCCURRENCE OF DNA MISMATCH REPAIR PROTEINS DEFICENCY AND P53 IN CERVICAL CARCINOMA |
| 457 | PATHOLOGY | MGMT GENE METHYLATION IN GLIOBLASTOMA BY REAL TIME PCR |
| 458 | PATHOLOGY | COEXISTENCE OF BETA THALASSEMIA TRAIT WITH IRON DEFICIENCY IN MICROCYTIC HYPOCHROMIC ANEMIA IN PEDIATRIC POPULATION |
| 459 | PATHOLOGY | GENOMIC STATUS OF IDH1, IDH2, MGMT, ATRX AND TERT GENES IN GLIAL TUMORS AND ITS ASSOCIATION WITH HISTOPATHOLOGICAL FEATURES AND WHO GRADING BY NEXT GENERATION SEQUENCING |
| 460 | PATHOLOGY | EXPRESSION OF VASCULAR ENDOTHELIAL GROWTH FACTOR AND KI67 IN CHRONIC TELOGEN EFFLUVIUM |
| 461 | PATHOLOGY | NOTCH 1 MUTATION IN CERVICAL CANCER AND ITS ASSOCIATION WITH HISTOLOGICAL TYPES |
| 462 | PATHOLOGY | IMMUNOHISTOCHEMICAL ASSESSMENT OF ER,PR, HER2NEU AND KI-67 IN FINE NEEDLE ASPIRATION CELL BLOCK AND HISTOLOGICAL SPECIMEN IN BREAST CARCINOMA |
| 463 | PATHOLOGY | GENOMIC PROFILE OF NON-SMALL CELL LUNG CARCINOMA AND ITS CLINICOPATHOLOGICAL ASSOCIATION BY NEXT GENERATION SEQUENCING |

4/c

| | | |
|-----|--------------|--|
| 464 | PATHOLOGY | COMPARISON OF DIAGNOSTIC ACCURACY OF CELL BLOCK AND URINE CYTOLOGY IN UROTHELIAL CARCINOMA |
| 465 | PATHOLOGY | MUTATIONAL STATUS OF TP53, KRAS AND PIK3CA GENES AND ITS ASSOCIATION WITH HISTOPATHOLOGICAL SUBTYPES OF CERVICAL CARCINOMA |
| 466 | PATHOLOGY | EXPRESSION OF FB-CATENIN, PAX2, AND PTEN IN ABNORMAL ENDOMETRIAL HISTOLOGY |
| 467 | PATHOLOGY | EXPRESSION OF TRPS1 AND GATA3 IN PRIMARY BREAST CARCINOMA |
| 468 | PATHOLOGY | PLATELET PARAMETERS IN PATIENTS PLANNED FOR EMERGENCY APPENDICECTOMY |
| 469 | PHARMACOLOGY | PRESCRIBING PATTERN OF ANTIBIOTICS IN THE INPATIENT DEPARTMENT OF SURGERY |
| 470 | PHARMACOLOGY | EFFECT OF AMLODIPINE AND TELMISARTAN ON INTERLEUKIN-1 β AND INTERLEUKIN -6 LEVELS IN NEWLY DIAGNOSED HYPERTENSIVE PATIENTS |
| 471 | PHYSIOLOGY | IMMEDIATE EFFECT OF PRANAYAMA AND SHAVASANA ON BLOOD PRESSURE AND AUTONOMIC FUNCTIONS IN HYPERTENSIVE PATIENTS |
| 472 | PHYSIOLOGY | COMPARISON OF ACUTE EFFECTS OF AEROBIC EXERCISE AND RESISTANCE EXERCISE ON CARDIORESPIRATORY PARAMETERS AND ENJOYMENT LEVEL IN SEDENTARY INDIVIDUALS |
| 473 | PHYSIOLOGY | ASSOCIATION OF HAND GRIP STRENGTH WITH SPIROMETRY IN CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 474 | PHYSIOLOGY | ASSESSMENT OF AUTONOMIC FUNCTIONS IN TYPE 2 DIABETES MELLITUS BEFORE AND AFTER SHORT TERM YOGA PRACTICE |
| 475 | PHYSIOLOGY | EFFECT OF ACUTE INTERVAL HANDGRIP EXERCISE ON WORKING MEMORY IN ADULTS |
| 476 | PHYSIOLOGY | COMPARISON OF MOTOR SPEED IN ADULT MALES AND FEMALES AS ASSESSED BY BEREITSCHAFTSPOTENTIALS AND FINGER TAPPING TEST |
| 477 | PMR | PSYCHOSOCIAL IMPACT ON USE OF ASSISTIVE DEVICES IN LOCOMOTOR DISABILITY |
| 478 | PMR | TO EVALUATE THE CLINICAL OUTCOME OF TOLPERISONE AND THIocolchicoside IN COMBINATION WITH ACECLOFENAC IN FEMALES WITH LOW BACK PAIN |

| | | |
|-----|-----------------|---|
| 479 | PMR | EFFECT OF VITAMIN D3 SUPPLEMENTATION IN ADULTS WITH NONSPECIFIC LOW BACK PAIN IN VITAMIN D3 DEFICIENCY |
| 480 | PMR | EFFECT OF EARLY CARDIAC REHABILITATION ON FUNCTIONAL CAPACITY IN PATIENTS WITH ACUTE MYOCARDIAL INFARCTION |
| 481 | PMR | PREDICTORS OF FUNCTIONAL LIMITATION IN PERSONS WITH LOCOMOTOR DISABILITY |
| 482 | PSYCHIATRY | PERCEIVED STRESS AND BODY IMAGE DISTURBANCE POST MODIFIED RADICAL MASTECTOMY AMONG BREAST CANCER SURVIVORS |
| 483 | PSYCHIATRY | COMPARISON OF STIGMA IN PATIENTS OF DEPRESSION WITH OR WITHOUT SUICIDAL IDEATION |
| 484 | PSYCHIATRY | CAREGIVER BURDEN AND PATIENT SATISFACTION IN PATIENTS SUFFERING FROM SCHIZOPHRENIA |
| 485 | PSYCHIATRY | A STUDY TO ASSESS THE EFFECT OF METHYLPHENIDATE ON BDNF AND TNF-A IN CHILDREN AND ADOLESCENTS WITH ATTENTION DEFICIT HYPERACTIVITY DISORDER |
| 486 | PSYCHIATRY | VARIATION IN SELF-FACE RECOGNITION IN INDIVIDUALS WITH SCHIZOPHRENIA AND BIPOLAR DISORDER IN COMPARISON TO HEALTHY INDIVIDUALS |
| 487 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF TRANSRECTAL ULTRASOUND ELASTOGRAPHY IN DETECTION OF PROSTATE CANCER |
| 488 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF MAGNETIC RESONANCE IMAGING IN DETECTING ANTEROLATERAL COMPLEX INJURIES IN ANTERIOR CRUCIATE LIGAMENT TEAR |
| 489 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF ULTRASONOGRAPHY FOR THE EVALUATION OF BRACHIAL PLEXUS INJURIES |
| 490 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF MULTIPARAMETRIC ULTRASOUND IN SUSPICIOUS THYROID NODULES |
| 491 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF INTERNATIONAL ENDOMETRIAL TUMOR ANALYSIS ULTRASOUND PARAMETERS TO DIFFERENTIATE BENIGN AND MALIGNANT ENDOMETRIAL PATHOLOGIES |
| 492 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF MAGNETIC RESONANCE IMAGING IN DETECTION OF RAMP LESION IN ANTERIOR CRUCIATE LIGAMENT TEAR |
| 493 | RADIO DIAGNOSIS | ARTERIAL SPIN LABELLING MRI AND ELECTRO CLINICAL CONCORDANCE IN PAEDIATRIC FOCAL EPILEPSY |

| | | |
|-----|-----------------|--|
| 494 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF DIFFUSION WEIGHTED MAGNETIC RESONANCE IMAGING IN THE DIFFERENTIATION OF BENIGN FROM MALIGNANT PRIMARY BONE TUMORS |
| 495 | RADIO DIAGNOSIS | COMPARISON OF COMBINED ENDOANAL AND TRANSPERINEAL ULTRASOUND WITH MAGNETIC RESONANCE IMAGING IN PRE-OPERATIVE EVALUATION OF PERIANAL FISTULA |
| 496 | RADIO DIAGNOSIS | NEW ISCHEMIC BRAIN LESIONS ON DIFFUSION-WEIGHTED MRI AFTER CAROTID ARTERY STENTING |
| 497 | RADIO DIAGNOSIS | EVALUATION OF LIVER STIFFNESS AND HEPATIC ARTERIAL RESISTIVE INDEX IN PREGNANT WOMEN WITH AND WITHOUT PRE-ECLAMPSIA |
| 498 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF DIFFUSION-WEIGHTED MAGNETIC RESONANCE IMAGING IN PLACENTA ACCRETA SPECTRUM |
| 499 | RADIO DIAGNOSIS | ASSOCIATION OF MYOCARDIAL IRON LOAD WITH CARDIAC FUNCTION ON CARDIAC MRI IN TRANSFUSION DEPENDENT PATIENTS |
| 500 | RADIO DIAGNOSIS | COMPARISON OF ULTRASOUND ELASTOGRAPHY IN EARLY AND ADVANCED STAGES OF CERVICAL CANCER |
| 501 | RADIO DIAGNOSIS | TECHNICAL AND CLINICAL OUTCOMES OF BALLOON ANGIOPLASTY WITH OR WITHOUT METALLIC STENTING IN PATIENTS WITH CRITICAL LOWER LIMB ISCHEMIA |
| 502 | RADIO DIAGNOSIS | LATE GADOLINIUM ENHANCEMENT ON CARDIAC MAGNETIC RESONANCE IMAGING IN DILATED CARDIOMYOPATHY |
| 503 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF ULTRASOUND ELASTOGRAPHY IN DIFFERENTIATING BILIARY ATRESIA AND NON BILIARY ATRESIA CAUSES OF NEONATAL CHOLESTASIS |
| 504 | RADIO DIAGNOSIS | ULTRASOUND ELASTOGRAPHY OF MATERNAL CERVIX IN THE PREDICTION OF SPONTANEOUS PRETERM BIRTH |
| 505 | RADIO DIAGNOSIS | DIAGNOSTIC ACCURACY OF DYNAMIC CONTRAST ENHANCED MRI IN DIFFERENTIATION OF BENIGN FROM MALIGNANT PRIMARY BONE TUMORS |
| 506 | RADIO DIAGNOSIS | ULTRASOUND ELASTOGRAPHY IN NON-ALCOHOLIC STEATOHEPATITIS PEDIATRIC PATIENTS |
| 507 | RADIOTHERAPY | IMPACT ON NEUROCOGNITIVE FUNCTION AND QUALITY OF LIFE IN PATIENTS WITH BRAIN METASTASES RECEIVING RADIATION THERAPY WITH CONCURRENT TEMOZOLOMIDE |
| 508 | RADIOTHERAPY | ASSESSMENT OF RESPONSE AND TOXICITY IN HIGH GRADE GLIOMA PATIENTS RECEIVING ADJUVANT HYPOFRACTIONATED CONCURRENT CHEMORADIATION |

1/c

| | | |
|-----|-----------------|---|
| 509 | RADIOTHERAPY | ASSOCIATION OF SERUM CA 15-3 LEVELS WITH CLINICAL RESPONSE TO TREATMENT IN LOCALLY ADVANCED BREAST CANCER PATIENTS |
| 510 | RADIOTHERAPY | ASSESSMENT OF THYROID FUNCTION IN HEAD AND NECK CANCER PATIENTS RECEIVING RADIATION THERAPY |
| 511 | SPORTS MEDICINE | EVALUATION OF FUNCTIONAL OUTCOME BETWEEN ULTRASOUND GUIDED INTRALIGAMENTOUS PLATELET RICH PLASMA INJECTION AND CONSERVATIVE MANAGEMENT IN PARTIAL ANTERIOR CRUCIATE LIGAMENT INJURY |
| 512 | SPORTS MEDICINE | SCREENING AND VALIDATION OF SINGLE NUCLEOTIDE POLYMORPHISM OF COLLAGEN FAMILY GENES IN PATIENTS WITH ANTERIOR CRUCIATE LIGAMENT INJURIES |
| 513 | SPORTS MEDICINE | COMPARATIVE FUNCTIONAL ANALYSIS OF NON WEIGHT BEARING VS WEIGHT BEARING WITH OR WITHOUT BRACE IN REHABILITATION FOLLOWING POST ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION |
| 514 | SPORTS MEDICINE | PREVALENCE OF DISORDERED EATING IN SPORTS PERSONS PRESENTING WITH SPORTS-RELATED INJURIES AT A SPORTS INJURY CENTRE |