



**Guru Gobind Singh Indraprastha University**  
**Sector 16-C, Dwarka, New Delhi – 110 078**

F.15/GGSIPU/Quot./ 2015/ 820

12.03.2015

Sealed item rate quotations are invited from Manufacture/Distributors/Authorized dealers for the supply of the following technical specifications and terms and conditions:

Name of Equipment	Technical Specification
<b>Vertical Autoclave automatic with Microprocessor based</b>	<ul style="list-style-type: none"><li>• The inner chamber &amp; outer body is made of high grade stainless sheet (SS – 304 grade).</li><li>• The lid is made of stainless steel 304 grade with double protection.</li><li>• Ring and leg also made of stainless steel 304 grade.</li><li>• Padle lifting device with built in safety valve.</li><li>• Pressure is adjustable from 5 psi to 20 psi <math>\pm</math> 3 psi.</li><li>• Automatic low water cut off device flood type.</li><li>• Automatic pressure control switch.</li><li>• Digital Temperature controller with automatic Microprocessor based cycle operated system, programmable type controller having indication of Temp. timer etc. with automatic purging and exit of steam at the complete of the cycle, cut off device. Fitted with double safety manually purging and vacuum breaker.</li><li>• Liter Capacity: about 50 liter</li></ul>

**Terms and Conditions:**

1. The firms must be manufacture/authorized dealers/authorized distributor.
2. For: GGSIP University, Sector-16C, Dwarka, New Delhi-110078.
3. Payment: After satisfactory installation. No advance payment will be made.
4. Delivery: Within 30 days
5. Taxes: Tax as applicable may please be mentioned in the quotation.
6. Warranty: At least one year
7. Quotation received after due date and time shall be summarily rejected.

Last date, time and venue for submission of quotation	25/03/2015 up to 05:00p.m. at CEPS Sheds, adjacent to Mass Communication, Guru Gobind Singh Indraprastha University, Sector-16C, Dwarka, New Delhi-110078
---	--

*A.K. Narula*  
**Prof. A.K. Narula**  
12-3-15

Copy to:

1. In-charge, Server Room – with a request to upload the same on University website.
2. Guard file