

NOTICE INVITING TENDER

F.No.GGSIPU/UWD/2013/2198-2200

Dated:27/09/2013

The Executive Engineer, University Works Division, on behalf of the GGSIPU invites Sealed Item rate tenders from approved and eligible contractors of CPWD in appropriate class (civil) for the work of:-

S. No.	NIT No.	Name of work & Location	Estimated cost put to tender	Earnest money	Time of completion	Last date & Time	Time & date of submission/ & opening of tender
						Issue of tender documents /down loading tender document from website	
1	2	3	4	5	6	7	8
1	21/EE/UWD/2013-2014	A/A GGSIP University, Dwarka Campus, New Delhi SH: Civil modifications in GH-I for making warden Residence	Rs. .4,33,383/-	Rs. 8,700/-	60 days	04/10/2013 4:00 PM	07/10/2013 upto 3:00PM/ 07/10/2013, 3:30 PM

The tender forms and tender processing fee of Rs. 500/- in form of Demand Draft shall be paid along with can be down loaded from website www.ipu.ac.in.

Eligibility documents i.e. Earnest Money, copy of pan card, VAT registration alongwith acknowledgement of VAT return of last quarter, copy of enlistment in appropriate class, tender cost in case tenders are downloaded should be placed in separate envelope marked "Eligibility Documents". Duly filled Tender document with financial bid shall be placed in other envelope marked "Tender Document with Financial bid". Both sealed envelopes shall be submitted together in another sealed envelope superscribed with name of work and due date of opening. The envelope marked "Tender with Financial Bid" of only those contractors shall be opened whose all eligibility documents are found to be in order.

Earnest money shall be in shape of Fixed Deposit receipt of a Scheduled Bank or Demand Draft of a scheduled Bank issued in favour of Registrar, GGSIPU. A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs.20 lacs, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee.

--Sd--
Executive Engineer
University Works Division

Copy to:

- 1) Divisional Accountant, UWD
- 2) Server In charge, GGSIPU – With a request to upload on website
- 3) Notice Board

--Sd--
Executive Engineer
University Works Division



GURU GOBIND SINGH INDRAPRASTHA UNIVERSITY

Tender Document

Name of Work: A/A GGSIP University, Dwarka Campus,
New Delhi

Sub Head: Civil modifications in GH-I for making
warden Residence

**Executive Engineer (Civil)
University Works Division
Ground Floor, Library Block,
GGSIPU, Sector- 16C, Dwarka,
New Delhi – 110078
Contact : 25302291**

Document Fee : Rs 500.00 (Non-refundable)

Volume - I

General Conditions

Special Conditions

Particular Specification

INDEX

Name of Work: A/A GGSIP University, Dwarka Campus, New Delhi

Sub Head: Civil modifications in GH-I for making warden Residence

S.No.	Description	Page Nos.
1.	Press Notice (For Web)	1
2.	Notice Inviting Tender	5-8
3.	Integrity Pact	9-15
4.	Form of submission	16-17
5.	General Rules and Directions	18-20
6.	Conditions of Contract	21-23
7.	Form of Performance Security and Earnest Money Deposit– Bank Guarantee Bond	24-27
8.	Proforma of Schedules A to F	28-30
9.	Special Conditions & Technical Specifications	31-35
10.	Schedule of Quantities (Bill of Quantities)	36-43

NOTICE INVITING TENDER

1. The Executive Engineer University Works Division, on behalf of the GGSIPU invites Sealed Item rate tenders from approved and eligible contractors of CPWD in appropriate class (civil) for the work of:-

Name of Work: A/A GGSIP University, Dwarka Campus, New Delhi

Sub Head: Civil modifications in GH-I for making warden Residence

The enlistment of the contractors should be valid on the last date of sale of tenders.

In case only the last date of sale of tender is extended, the enlistment of contractor should valid on the original date of sale of tenders.

In case both the last date of receipt of application and sale of tenders are extended, the enlistment of contractor should be valid on either of the two dates i.e. original date of sale of tender or on the extended date of sale of tenders.

2. The work is estimated to cost **Rs.4,33,383/-**. This estimate, however, is given merely as a rough guide.
3. Agreement shall be drawn with the successful tenderer on Form No. C.P.W.D. 7/8. Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
4. Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the EE/UWD between hours of 11:00 AM & 4:00 PM from **27/09/2013 to 04/10/2013** everyday except on Sundays and Public Holidays. Tender is also available on website www.ipu.ac.in.
5. Desirous agencies may obtain tender document on request in writing from University Works Division, Ground Floor, Library Block, GGSIPU, Dwarka, New Delhi – 110078 on any working day between 1000 Hrs. (IST) to 1600 Hrs. (IST) up to **04/10/2013** on payment of non-refundable fee of **Rs.500/- (Rupees Five Hundred Only)** in the form of crossed Demand Draft drawn in favour of Registrar, GGSIPU payable at New Delhi. Tenders can also be downloaded from the website www.ipu.ac.in. In case of downloaded tenders, demand draft of **Rs. 500/-** shall also be enclosed with the bid toward tender document cost in form of Demand Draft in favour of Registrar, GGSIPU payable at New Delhi.

Applications for issue of forms shall be received by **04/10/2013** (4:00 PM) and tender documents shall be issued by **04/10/2013**. (4:00 PM).

6. Agencies fulfilling the above criteria mentioned at Sl. 1 may submit the tender documents along with Earnest Money **Rs. 8,700/- (Rupees Fifty One thousand Two hundred Forty Only)** in the shape of fixed deposit receipt of a scheduled bank or

demand draft of a scheduled bank issued in favour of Registrar, GGSIPU. **50%** of earnest money or **Rs.20,00,000/-**, whichever is less, will have to be deposited in the shape prescribed above and balance amount of the earnest money can be accepted in the form of Bank Guarantee issued by scheduled bank having validity of 6 months or more from the last date of receipt of tenders.

7. Earnest money, Copy of Pan Card, VAT Registration alongwith acknowledgement of VAT return of last quarter, copy of enlistment in appropriate class, shall be placed in separate sealed envelope marked "Eligibility Documents" Duly filled financial bid alongwith tender document shall be placed in another envelope marked " Financial bid". Both the envelopes shall be submitted together in another sealed envelope super scribed with the name of work and due date of opening, which will be received by the EE/UWD upto 3.00 pm on **07/10/2013** and will be opened by him or his authorized representative in his office on the same day at 3.30 pm. The envelope marked " Eligibility Document" shall be opened first and Financial bid in other envelope marked " Financial Bid alongwith tender document" of only those renderers shall be opened, whose validity of enlistment, earnest money and other documents are found to be in order.
8. The time allowed for carrying out the work will be 60 days from the date of start as defined in Schedule 'F' or from the first date of handing over of site, whichever is later, in accordance with phasing, if any, indicated in the tender documents.
9. The site of work is available.
10. Last date for submission of tender document is **07/10/2013 upto 15.00 Hrs.**
11. The Contractor whose tender is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any scheduled bank (in case guarantee amount is less than **Rs.1,00,000/-**) or Fixed Deposit Receipts of any Schedule Bank or in the form of an irrevocable bank guarantee bond of any scheduled nationalized bank in accordance with the form prescribed.
12. The description of the work is as follows:

Name of work: A/A GGSIP University, Dwarka Campus, New Delhi

Sub Head: Civil modifications in GH-I for making warden Residence

13. Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of Executive Engineer, UWD. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves the form and nature of the site, the means of access to the site, the accommodation they may require and before submitting their tenders and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be

responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity, access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract document. Submission of a tender by tenderer implies that he has read this letter and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the GGSIPU and local conditions and other factors having a bearing on the execution of the work.

14. The competent authority on behalf of the GGSIPU does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without assigning any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
15. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
16. The competent authority on behalf of GGSIPU reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
17. The Contractor shall not permitted to tender for works in the UWD responsible for award and execution of contracts, in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any officer in the GGSIPU. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
18. The tender for the works shall remain open for acceptance for a period of (90) Ninety days from the date of opening of tenders/ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelope system. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the GGSIPU, then the GGSIPU shall, without prejudice to any other right or remedy, be at liberty to forfeit **50%** of the said earnest money as aforesaid. Further, the tenderer shall not be allowed to participate in the re tendering process of the work.
19. This notice inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on issue of letter of Commencement of work by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) Notice inviting tender, Tender document including Schedule of Quantities, Contract clauses, Special conditions, particular specifications and drawings, if any, forming part of the tender document as issued at the time of invitation of

tender and acceptance thereof together with any correspondence leading thereto.

- b) Standar Contract form 7/8 of 2010.
- c) Integrity Pact.

The terms and conditions of this tender document shall have precedence over the corresponding provisions of GCC 2010.

- 20. The GGSIPU reserve the right to reject any or all prospective applications without assigning any reason and to restrict the list of contractors to any number deemed suitable by it.

Executive Engineer (Civil)
University Works Division

INTEGRITY PACT

To,

Sub: NIT No. 21/EE/UWD/2013-2014 for the work A/A GGSIP University, Dwarka Campus, New Delhi, Sub head :- Civil modifications in GH-I for making warden Residence.

Dear Sir,

It is here by declared that GGSIPU is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the GGSIPU.

Yours faithfully

Executive Engineer
(University Works Division)

INTEGRITY PACT

To,

Executive Engineer,
University Works Division
GGSIU, Sector- 16C, Dwarka,
New Delhi – 110078

Sub: Submission of Tender for the work of

A/A GGSIP University, Dwarka Campus, New Delhi

Sub head :- Civil modifications in GH-I for making warden Residence.

Dear Sir,

I/We acknowledge that GGSIPU is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed Integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that **THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE** of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by GGSIPU. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, GGSIPU shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours Faithfully

(Duly authorized signatory of the Bidder)

INTEGRITY PACT

INTEGRITY AGREEMENT

THIS Integrity Agreement is made at _____ on this _____ day of _____ 20_____

BETWEEN

GGSIPIU represented through Executive Engineer, UWD, (Hereinafter referred as the **'Principal/Owner'**, which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

_____ through _____ (Hereinafter referred as the **"Bidder/Contractor"** and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal/Owner has floated the Tender (NIT No. _____) (hereinafter referred to as **"Tender/Bid"**) and intends to award, under laid down organizational procedure, contract for the work of **A/A GGSIP University, Dwarka Campus, New Delhi, Sub head :- Civil modifications in GH-I for making warden Residence.**

hereinafter referred to as the **"Contract"**.

And WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement(hereinafter referred to as **"Integrity Pact"** or **"Pact"**), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants in this pact, the parties hereby agree as follows and this pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principle/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the

- Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government/Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contractor(s) will; not use improperly;, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
 - e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
 - 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of other and/or to influence the procurement process to the detriment of the Government interests.**
 - 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach or this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may be forever or for a limited period as decided by the Principal/Owner.**

- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit:** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1) the principal/owner apart from exercising any legal right that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The bidder declares that no previous transgressions occurred in the last 5 year with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/holiday listing of the Bidder/Contractor as deemed fit by the Principal/Owner.
- 3) If the Bidder/Contractor can prove that he has resorted/recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation (s) of the principles laid down in this agreement/Pact by any of its Sub-contractor/Sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6: Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, GGSIPU.

Article 7: Other Provisions

- 1) This pact is subject to Indian Law, place of performance and jurisdiction is the **Head quarters of the Division** of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement/Pact or any action taken by the Owner/Principal in accordance with this **Integrity agreement /pact interpretation thereof shall not be subject to arbitration.**

Article 8: Legal and Prior Rights

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHERE OF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/Owner)

(For and on behalf of Bidder/Contractor)

WITNESSES:

1. _____
2. _____

Place:

Dated:

Letter of Submission
Item Rate Tender

(A) Tender for work of A/A GGSIP University, Dwarka Campus, New Delhi

Sub Head: Civil modifications in GH-I for making warden Residence

- i) To be submitted by **15.00 HRS hours up to 04/10/2013** to Assisnat Engineer. UWD, Ground Floor, Library Block, GGSIPU, Sector-16C, Dwarka, New Delhi-110078
- ii) To be opened in presence of tenderers who may be present at **15.30 hours on 04/10/2013** in the office of **Ex. Engr**, UWD, Ground Floor, Library Block, GGSIPU, Sector-16C, Dwarka, New Delhi-110078

Issued to -----
Signature of officer issuing the documents -----
Designation -----
Date of Issue -----

T E N D E R

I/ We have read and examined the Notice inviting tender, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special condition, particular Specification, Schedule of Quantities & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the GGSIPU within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for Ninety (90) days from the due date of opening of tender/ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system and not to make any modifications in its terms and conditions.

The earnest money of **Rs.** _____/- has been deposited in the shape of fixed deposit receipt of a scheduled bank/ demand draft of a scheduled bank/bank guarantee of scheduled bank issued in favour of Registrar, GGSIPU. If I/we, fail to furnish the prescribed performance guarantee within prescribed period, I/We agree that the said GGSIPU or his successors in office shall without prejudice to any other right or

remedy, be at liberty to forfeit the said Performance Guarantee absolutely. Further, if I/we fail to commence work as specified, I/we agree that GGSIPU or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the performance guarantee absolutely. The said performance guarantee shall be guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the clauses of contract. Further, I/We agree that in case of forfeiture of earnest money or both Earnest Money & Performance Guarantee as aforesaid, I/We shall be debarred for participation in the retendering process of the work.

I/we hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/ confidential documents and shall not communicate information derived there from to any person other than a person to whom I/we am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Date -----

Signature of Contractor
Postal Address

Witness :

Address :

Occupation :

A C C E P T A N C E

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of the GGSIPU for a sum of Rs.----- (Rupees -----)

The letters referred to below shall form part of the Agreement :

a)

b)

c)

**Executive Engineer (Civil),
University Works Division**

**GURU GOBIND SINGH INDRAPRASTHA UNIVERSITY
SECTOR-16C, DWARKA, NEW DELHI-110078**

1. Notice Inviting Tender will state the work to be carried out, as well as the date for submission and opening of tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited at the time of purchase of tender. The performance Guarantee to be deposited by the successful tenderer and the amount of security deposit to be deducted from bills. Copies of the specifications, designs and drawings and any other documents required in connection with the work signed for the purpose of identification by the officer inviting tender shall also be open for inspection by the contractor at the office of officer inviting tender during office hours.
2. In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney authorizing him to do so, such power of attorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian Partnership Act, 1952.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by all the partners, except where contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having due authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the Schedule of Quantity (Vol.II) form, stating at what rate he is willing to undertake each item of the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort, including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tenders for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.
5. The officer inviting tender or his duly authorized representatives, will open tenders in the presence of any intending contractors who may be present at the time, and will enter the amounts of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money forwarded at the time of purchase of tender shall thereupon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specifications and other documents mentioned in Rule-I. In the event of a tender being rejected, the earnest money of unaccepted tenders shall thereupon be returned to the contractor, without any interest.
6. The officer inviting tenders shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest or any other tender.

7. The receipt of an accountant or clerk for any money paid by the contractor will not be considered as any acknowledgement or payment to the officer inviting tender and the contractor shall be responsible for seeing that he procures a receipt signed by the officer inviting tender or a duly authorized Cashier.
8. The memorandum of work tendered for and the schedule of materials to be supplied by the department and their issue rates, shall be filled and completed in the office of the officer inviting tender before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in and incomplete, he shall request the officer to have this done before he completes and delivers his tender.
9. The tenderers shall sign a declaration under the official Secret Act 1923, for maintaining secrecy of the tender documents drawings or other records connected with the work given to them. Use of correction fluid, anywhere in tender document is not permitted. Such tender is liable for rejection.
10. Only rates quoted shall be considered. Any tender containing percentage below/ above the rates quoted is liable to be rejected. Rates quoted by the contractor in Item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the contractor shall unless otherwise proved be taken as correct. If the contractor does not work out the amount of an item or it does not correspond with the rates written either in figures or in words, then the rates quoted by the contractor in words shall be taken as correct. Where the rates quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the rates quoted by the contractor will unless otherwise proved be taken as correct and not the amount. In event no rate has been quoted for any item(s), leaving space both in figure(s), word(s), and amount blank, it will be presumed that the contractor has included the cost of this/these item(s) in other items and rate for such item(s) will be considered as zero and work will be required to be executed accordingly.
11. In the case of any tender where unit rate of any item/ items appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation, such a tender is liable to be disqualified and rejected.
12. All rates shall be quoted on the tender form (i.e. Schedule of Quantities Vol. II). The amount for each item should be worked out and requisite totals given. Special care should be taken to write the rates in figures as well as in words and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures, the word 'Rs.' should be written before the figure of rupees and word 'P' after the decimal figures, e.g. 'Rs.2.15 P' and in case of words, the word, 'Rupees' should precede and the word 'Paise' should be written at the end. Unless the rate is in whole rupees and followed by the word 'only' it should invariably be upto two decimal places. While quoting the rate in schedule of quantities, the word 'only' should be written closely following the amount and it should not be written in the next line.

13.
 - i) The contractor whose tender is accepted shall be required to deposit an amount equal to 5% of the tendered value of the work as performance guarantee within the period as specified in schedule-'F' in the form of an irrevocable bank guarantee bond of any scheduled bank in accordance with the form prescribed, fixed deposit receipt or demand draft in favour of Registrar, GGSIPU.
 - ii) The contractor whose tender is accepted, will also be required to furnish by way of Security Deposit for the fulfillment of his contract, an amount equal to 5% of the tendered value of the work. The Security deposit will be collected by deductions from the running bills of the contractor at the rate of 5% and the earnest money deposited at the time of tenders, will be treated as a part of the Security Deposit. The Security amount will also be accepted in the shape of Fixed Deposit Receipt of a Scheduled Nationalized Bank or State Bank of India will also be accepted for this purpose provided confirmatory advice is enclosed. The security deposit as deducted above can be released against bank guarantee issued by a scheduled bank, on its accumulations to a minimum of Rs. 5 lakh subject to the condition that amount of such bank guarantee, except last one, shall not be less than Rs. 5 lakh.
14. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge shall be communicated in writing to the Engineer-in-Charge.
15. Sales Tax/VAT (except service tax) purchase tax, turnover tax or any other tax on material in respect of this contract shall be payable by the Contractor and GGSIPU will not entertain any claim whatsoever in respect of the same.
16. The contractor shall give a list of both gazetted and non-gazetted GGSIPU employees related to him.
17. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the same work. Failure to observe this condition would render, tenders of the contractors tendering, as well as witnessing the tender, liable to summary rejection.
18. The tender for composite work includes, in addition to building work, all other works such sanitary and water supply installations drainage installation, electrical work, horticulture work, roads and paths etc. The tenderer apart from being a registered contractor (B&R) of appropriate class, must associate himself with agencies of appropriate class which are eligible to tender for sanitary and water supply drainage, electrical and horticulture works in the composite tender.
19. The contractor shall comply with the provisions of the Apprentices Act 1961, and the rules and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the GGSIPU may in his discretion, without prejudice to any other right or remedy available in law, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

CONDITIONS OF CONTRACT**Definitions**

1. The Contract means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of the GGSIPU and the Contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-Charge and all these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
2. In the contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them:
 - i) The expression works or work shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
 - ii) The Site shall mean the land/ or other places on, into or through which work is to be executed under the contract or any adjacent land, path or street through which work, is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
 - iii) The Agency / Contractor / Tenderer shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assigns of such individual, firm or company.
 - iv) The GGSIPU means the Guru Gobind Singh Indraprastha University and his successors.
 - v) The Engineer-in-Charge means the Executive Engineer UWD
 - vi) Accepting Authority shall mean the authority mentioned in Schedule 'F'.
 - vii) Excepted Risk are risks due to riots (other than those on account of contractor's employees), war (whether declared or not) invasion, act of foreign enemies, hostilities, civil war, rebellion revolution, insurrection, military or usurped power, any acts of Government, damages from aircraft, acts of God, such as earthquake, lightening and unprecedented floods, and other causes

over which the contractor has no control and accepted as such by the Accepting Authority or causes solely due to use or occupation by Government of the part of the works in respect of which a certificate of completion has been issued or a cause solely due to Government's faulty design of works.

- viii) Market Rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits.
- ix) Schedule(s) referred to in these conditions shall mean the relevant schedule(s) annexed to the tender papers or the standard Schedule of Rates of the government mentioned in Schedule 'F' hereunder, with the amendments thereto issued upto the date of receipt of the tender.
- x) Department means Guru Gobind Singh Indraprastha University or authorized by GGSIPU to work on their behalf.
- xi) District Specifications means the specifications followed by the State Government in the area where the work is to be executed.
- xii) Tendered value means the value of the entire work as stipulated in the letter of award.

Scope and Performance

- 3. Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
- 4. Headings and Marginal notes to these General Conditions of Contract shall not be deemed to form part thereof or be taken into consideration in the interpretation or construction thereof or of the contract.
- 5. The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.

Works to be carried out

- 6. The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities (Schedule-A) shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and

fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.

Sufficiency of Tender

7. The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

Discrepancies and Adjustment of Errors

8. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.

- 8.1 In the case of discrepancy between the schedule of Quantities, the Specifications and/or the Drawings, the following order of preference shall be observed:

- i) Description of items given in Schedule of Quantities.
 - ii) Technical Specification and Special Conditions.
 - iii) Drawings.
 - iv) C.P.W.D. Specifications.
 - v) Indian Standard Specifications of B.I.S.
 - vi) Decision of Engineer-in-Charge.

- 8.2 If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.

- 8.3 Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the Contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.

Form of Performance Security (Guarantee) Bank Guarantee Bond

1. In consideration of the Guru Gobind Singh Indraprastha University (hereinafter called “The University”) having offered to accept the terms and conditions of the proposed agreement between ----- and ----- (hereinafter called “the said Contractor(s)”) for the work ----- (hereinafter called “the said agreement”) having agreed to production of a irrevocable Bank Guarantee for Rs.----- (Rupees ----- only) as a security/guarantee from the contractor(s) for compliance of his obligations in accordance with the terms and condition in the said agreement.

We, ----- (hereinafter referred as “the Bank”) hereby undertake to
(indicate the name of the Bank)
pay to the University an amount not exceeding Rs.----- (Rupees -----
----- only) on demand by the University.

2. We, ----- do hereby undertake to pay the amounts due and
(indicate the name of the Bank)
payable under this guarantee without any demure, merely on a demand from the University stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.----- (Rupees ----- only).
3. We, the said bank further undertake to pay the University any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the Contractor(s) shall have no claim against us for making such payment.

4. We, ----- further agree that the guarantee herein contained shall
(indicate the name of the Bank)
remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the University under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in-Charge on behalf of the University certified that the terms and conditions of the said agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this guarantee.

5. We, ----- further agree with the University that the University
(indicate the name of the Bank)
shall have the fullest liberty without our consent and without affecting in any manner our obligation hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the University against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) or for any forbearance, act of omission on

the part of the University or any indulgence by the University to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).
7. We, ----- lastly undertake not to revoke this guarantee except
(indicate the name of the Bank)
with the previous consent of the University in writing.
8. This guarantee shall be valid upto ----- unless extended on demand by the University. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs.----- (Rupees ----- only) and unless a claim in writing is lodged with us within six months of the date of expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

Dated the ----- day of ----- for ----- (indicate the name of the Bank)

Signature & Seal of Bank

FORM OF EARNEST MONEY (BANK GUARANTEE)

WHEREAS, contractor (Name of contractor) hereinafter called “the contractor”) has submitted his tender dated.....(date) for the construction of (name of work) (hereinafter called “ the Tender”)

KNOW ALL PEOPLE by these presents that we (name of bank) having our registered office at (hereinafter called “the Bank”) are bound unto (Name and sub division of Executive Engineer) (hereinafter called “the Engineer-in-Charge”) in the sum of Rs..... (Rs. In words.....) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this..... day of20...

THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws his tender during the period of validity of tender (including extended validity of tender) specified in the Form of tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
 - a) fails or refuses to execute the Form of agreement in accordance with the instructions to contractor, if required; OR
 - b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and instructions to contractor, OR
 - c) fails or refuses to start the work, in accordance with the provisions of the contract and instructions to contractor, OR
 - d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge up to the above amount upon receipt of his first written demand, without the Engineer-in-Charge having to substantiate his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

The Guarantee will remain in force up to and including the date*..... after the deadline for submission of tender as such deadline is stated in the instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE.....

SIGNATURE OF THE

SEAL

BANK

WITNESS.....

(SIGNATURE, NAME AND ADDRESS

* Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities - (Page 37 TO 44)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor. NIL

SCHEDULE 'C'

Tools and plants to be hired to the contractor : NIL

SCHEDULE 'D'

Extra schedule for specific requirements/ document for the work, if any. - NIL

SCHEDULE 'E'

Reference to General Conditions of contract.

Name of Work: A/A GGSIP University, Dwarka Campus, New Delhi

Sub Head: Civil modifications in GH-I for making warden Residence

Estimated cost of work : **Rs. 4,33,383/-**

i) Earnest money : **Rs. 41,458/- (to be returned after submission of performance guarantee)**

ii) Performance Guarantee : **5% of tendered value**

iii) Security Deposit : **2.5% of tendered value**

SCHEDULE 'F'

General Rules & Directions:

Officer Inviting Tender : Ex. Engr, UWD, GGSIPU

Definitions:

2(v) Engineer-in-Charge Ex. Engr, UWD, GGSIPU

2(viii) Accepting Authority Ex. Engr, UWD, GGSIPU

2(x) Percentage on cost of materials and labour to cover all overheads and profits 15%

2(xi) Standard Schedule of Rates DSR 2012

2(xii) Department GGSIPU

9(ii) Contract Form Form 7/8

Clause 1

- | | | |
|-----|--|---------------|
| i) | Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance, in days | 7 days |
| ii) | Maximum allowable extension beyond the period in (i) above | 3 days |

Clause 2

Authority for levy compensation Under clause 2.	Superintending Engr/ Administrative Head, GGSIPU
---	---

Clause 2A

Whether Clause 2A shall be applicable	Not Applicable
---------------------------------------	-----------------------

Clause 5

Number of days from the date of issue of letter of acceptance for reckoning date of start	10 days
---	----------------

Time allowed for execution of work.	60 days
-------------------------------------	----------------

Authority to give fair and reasonable extension of time for completion of work	Executive Engineer
--	---------------------------

Clause 6 or 6 A

Clause Applicable	6A
-------------------	-----------

Clause 7

Gross work to be done together with net payment/ Adjustment of advances for material collected, if any Since the last such payment for being eligible to Interim payment	Rs. 5 lakh
--	-------------------

Clause 10 A

List of testing equipment to be provided at site	Nil
--	------------

Clause 10 B(ii)

Whether clause 10B(ii) is applicable	No
--------------------------------------	-----------

Clause 10 C

Component of labour expressed as percent of value of work	Not Applicable
---	-----------------------

Clause 10 CA

Not Applicable

Clause 10 CC

Clause 10CC to be applicable in contracts with Stipulated period of completion exceeding the Period shown in next column	12 months
--	------------------

Schedule of component of other materials, labour, POL etc for price escalation

Component of Civil (except for materials)	_____
---	-------

covered under clause 10CA) / Electrical construction materials expressed as percent of total value of work

Component of labour expressed as percent of total value of work _____

Component of POL expressed as percent Of total value of work _____

Clause 11

Specifications to be followed for execution of work

CPWD specification 2009 with upto date correction slip/manufacturer specification

Clause 12

12.2 & 12.3 Deviation limit beyond which clauses 12.2 & 12.3 30%

12.5 i) Deviation limit beyond which clauses 12.2 & 12.3 shall apply for foundation work (except earth work) 30%

ii) Deviation limit for items in earth work sub head of DSR or related items 100%

Clause 16

Competent Authority for deciding reduced rates

**Superintending Engr/ Admn. head
GGSIPU**

Clause 18

List of mandatory machinery tools& plants To be deployed by the contractor at site

**As required for completion
within time period**

Clause 25

Constitution of Dispute Redressal committee

Chairman- Registrar, GGSIPU
Member-I, SE, UWD
Member-II, Technical Expert appointed by Hon'ble VC

Clause 36(i)

Requirement of Technical representative(s) and recovery rate

NA

Special Conditions

Special Conditions

- 1.0 “CPWD Specifications” wherever appearing in this document would mean Latest edition of CPWD specifications with correction slips issued upto the last date of receipt of tender.
- 2.0 GCC 2010 referred in this document is Govt of India Publication and is available in the market.
 - a) Form 7/8, forming part of ‘GCC 2010’ shall be superceeded by this document.
 - b) Wherever “President of India” is appearing in the GCC 2010 same shall be read as GGSIPU.
 - c) Wherever Superintending Engineer or Chief Engineer is appearing in GCC 2010, it may be read as Superintending Engineer/Administrative Head GGSIPU or Chief Engineer/Administrative Head GGSIPU.
 - d) Wherever CPWD or PWD is appearing in GCC 2010, it may be read as GGSIPU.
- 3.0 Unless otherwise provided in the schedule of quantities the rates tendered by the contractor shall be all-inclusive and shall apply to all heights, levels, depths, leads, lifts including shafts, machine room & stair cases. The rates for all items of work, unless clearly specified otherwise, shall include the cost of all labour, materials, and other inputs involved in the execution of the items.
- 4.0 No foreign exchange shall be made available by the department for the purpose of procurement of equipment, plants, machinery, materials of any kind or any other items required to be carried out in execution of work.
- 5.0 The contractor or his authorized representative should always be available at the site of work to take instructions from Engineer in charge, and ensure proper execution of work.
- 6.0 No work shall commence in the absence of contractor’s engineers and they shall certify in writing about the correctness of layout alignment and shall ensure stability of all structural work such as partition panel and other related items.
- 7.0 All work and materials brought and left upon the ground by the contractor or by his orders for the purpose of forming part of the works, are to be considered to be the property of the GGSIPU and the same are not to be removed or taken away by the contractor or any other person without consent in writing of the Engineer-in-charge but the GGSIPU is not to be in any way responsible for any loss or damage which may happen to or in respect of any such work or materials either by the same being lost or damaged by weather or otherwise.
- 8.0 The contractor shall execute the different items simultaneously, as far as possible, so that minimum breakage and repairs are involved.

- 9.0 The contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants of adjacent properties and to the public in general and to prevent any damage to such properties and any pollution of environment and waterways. He shall make good at his own cost and to the satisfaction of the Engineer-in-Charge, any damage to public or private property whatsoever caused by the execution of the work or by traffic brought thereon by the contractor. Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants/users of adjoining buildings.
- 10.0 All associated activities required for obtaining necessary clearances, permissions, approvals, all licenses etc. as required from all concerned authorities in respect of installation and commissioning shall be the responsibility of the contractor, the cost for which shall be deemed to be included in the rates for various items of work of Schedule of Quantities. However, actual statutory fee paid to the concerned authorities for obtaining approvals if any, shall be reimbursed by the University on production of proof of payment made by the Contractor.
- 11.0 The contractor shall be responsible for watch and ward of all the works, equipment and various materials till complete handing over of works.
- 12.0 Wherever any reference to any Indian Standards Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued their to or revisions there of if any, upto the date of receipt of tenders.
- 13.0 The site of work may be at one or more places within the campus and at any floor upto six levels for which nothing extra shall be paid.
- 14.0 Cess @ 1% of gross value of work done shall be deducted from the payment as per Delhi Building & other Construction Workers Welfare Cess Act 1996 besides other statutory deduction like income tax, VAT etc.
- 15.0 The contractor shall be fully responsible for rectifying the defect, which may happen during the use up to 6 months from the date of completion of the work. The decision of Engineer-in-Charge in this regard shall be final & binding. In case the contractor fails to carry out the said repairs, rectifications, replacement within the specified time, the department shall get the repairs / rectifications / replacement as considered necessary at the cost of the contractor by recovering the cost from the security deposit. In case additional expenditure is incurred by the department on this account, the same shall be borne by the contractor.
- 16.0 The rates quoted by the contractor shall be all inclusive keeping in mind the specifications, special conditions and technical specifications and nothing extra shall be payable whatsoever, unless otherwise specified.
- 17.0 If the work is carried out in more than one shifts or during night to meet the time period of completion, nothing extra shall be paid on this account.
- 18.0 Contractor shall have to make own arrangement for water & electricity, otherwise 1% of gross amount shall be deducted from the dues of the contractor.

19.0 The contractor shall follow the instruction and restrictions imposed by the Administration / Police authorities on the working and movement of labour / material / vehicles etc and nothing extra shall be paid on this account.

20.0 List of Makes

CEMENT	:	A.C.C., ULTRA TECH GUJARAT AMBUJA, VIKRAM, JP REWA, JK
REINFORCEMENT/STEEL SECTION.	:	TISCO, SAIL, RINL
DISTEMPER & PAINTS	:	ICI, ASIAN PAINT, BERGER PAINTS, NEROLAC
CERAMIC TILES	:	KAJARIA, SOMANY, NITCO, ORIENT, BELL CERAMIC
COMPOSITE PIPES	:	KITEC, JINDAL
uPVC PIPES	:	FINOLEX, KISAN, SUPREME, PRINCE
GYPSUM BOARD	:	INDIA GYPSUM, BORAL
SANITARY FIXTURES INCLUDING WALL HUNG WC	:	PARRYWARE, HINDWARE, CERA

21.0 Special conditions for cement

21.1 The contractor shall procure 43 grade (conforming to IS 8112) ordinary Portland cement, as required in the work, from reputed manufacturers of cement having a production capacity not less than one million tonnes or more per annum, such as ACC, UltraTech, J.P.Rewa, Vikram, Shri Cement, Birla Jute & Cement Corporation of India etc., as approved by the Ministry of Industry, Government of India, and holding license to use ISI certification mark for their product. The tenderers may also submit a list of names of cement manufacturers which they propose to use in the work. The tender accepting authority reserves right to accept or reject name(s) of cement manufacturer(s) which the tenderer proposes to use in the work. No change in the tendered rates will be accepted if the tender accepting authority does not accept the list of cement manufacturers, given by the tenderer, fully or partially. The supply of cement shall be taken in 50 kg. bags bearing manufacturer's name and ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in-charge and got tested in accordance with provisions of relevant BIS codes. In case the test results indicate that the cement arranged by the contractor does not conform to the relevant BIS codes, the same shall stand rejected, and it shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer- in-charge to do so.

21.2 The cement shall be brought at site in bulk supply of approximately 10 tonnes or as decided by the Engineer- in- charge. The cement godown of the capacity to store a minimum of 500 bags of cement shall be constructed by the contractor at site of work for which no extra payment shall be made.

- 21.3 Double lock provision shall be made to the door of the cement godown. The keys of one lock shall remain with the Engineer-in-Charge or his authorized representative and the keys of the other lock shall remain with the contractor. The contractor shall be responsible for the watch and ward and safety of the cement godown. The contractor shall facilitate the inspection of the cement godown by the Engineer-in-Charge at any time.
- 21.4 The cement shall be got tested by the Engineer-in-charge and shall be used on the work only after satisfactory test results have been received. The contractor shall supply free of charge the cement required for testing including its transportation cost to testing laboratories. The cost of tests shall be borne by the contractor/Department in the manner indicated below:
- (a) By the contractor, if the results show that the cement does not conform to relevant BIS codes.
 - (b) By the Department, if the results show that the cement conforms to relevant BIS codes.
- 21.5 The actual issue and consumption of cement on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein. In case the cement consumption is less than theoretical consumption including permissible variation, recovery at the rate so prescribed shall be made. In case of excess consumption no adjustment need to made.
- 21.6 The cement brought to the site and the cement remaining unused after completion of the work shall not be removed from site without the written permission of the Engineer-in-charge.
- 21.7 The damaged cement shall be removed from the site immediately by the contractor on receipt of a notice in writing from the Engineer-in-charge. If he does not do so within 3 days of receipt of such notice, the Engineer-in-charge shall get it removed at the cost of the contractor.
- 22.0 Defect liability period – The entire work done shall be guaranteed for the period of six month from the date of completion.
- 23.0 All the materials are to be got approved from the Engineer-in-Charge before using the same in the work.

Volume II

Schedule of Quantities

Schedule of Quantity

Name of Work: **A/A GGSIP University, Dwarka Campus, New Delhi**

Sub Head: **Civil modifications in GH-I for making warden Residence**

S. No.	Description of work	Unit	Qty	Rate(Rs./Unit)	Amount in Rs/-
1	'Demolishing brick work manually / by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.:				
	'In cement mortar	cum	9		
2	'Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	sqm	11		
3	'Half brick masonry with FPS bricks of class designation 75 in superstructure above plinth level upto floor V level.:				
	'Cement mortar 1:3 (1 cement : 3 coarse sand)	sqm	39		
4	'Structural steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	kg	12		
5	'12 mm cement plaster of mix :				
	'1:4 (1 cement : 4 coarse sand)	sqm	54		
6	'15 mm cement plaster on rough side of single or half brick wall of mix :				
	'1:4 (1 cement : 4 coarse sand)	sqm	54		
7	'Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1:4 (1 cement : 4 coarse sand):				
	'25 mm thick.	sqm	3		
8	Providing and applying white cement based putty of average thickness 1 mm of approved brand and manufacturer over the plastered wall surface to prepare the surface even and smooth complete.	sqm	268		
9	'Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade:				
	'New work (two or more coats) over and including priming coat with cement primer.	sqm	390		

10	'Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50 metres lead :				
	'With cement mortar 1:4 (1 cement : 4 coarse sand)	sqm	27		
11	'Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc. complete :				
	'Single rubber stopper	each	2		
12	'Extra for providing and placing in position 2 Nos. 6mm dia M.S.bars at every third course of half brick masonry (with FPS bricks).	sqm	40		
13	'Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 degree, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement	cum	0.2		
14	Centring and shuttering including strutting, propping etc. and removal of form for :				
	'Suspended floors, roofs, landings, balconies and access platforms	sqm	4		
15	'Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.				
	'Thermo-Mechanically Treated bars.	kg	30		
16	'Providing and fixing 18 mm thick gang saw cut mirror polished pre moulded and prepolished), machine cut for kitchen platforms, vanity counters facias and similar locations of required size of approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand)with joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing moulding and polishing to edge to give high gloss finish etc., complete at all levels.				
	'Granite of any colour and shade				
	'Area of slab over 0.50 sqm.	sqm	4		
17	'Extra for edge moulding to 18mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc., complete as per design approved by Engineer-in-charge.				
	'Granite work	mtr	6		
18	'Extra for fixing marble / granite stone over and above corresponding basic item, in facia and drops of width upto 150mm with epoxy resin based adhesive including cleaning etc., complete.	mtr	6		

19	'Extra for providing opening of required size & shape for wash basins / kitchen sink in kitchen platform, vanity counters and similar location in marble / granite / stone work including necessary holes for pillar taps etc., including rubbing and polishing of cut edges etc., complete.	each	2		
20	Providing and fixing stainless steel single sink with single draining board approximate size 940 x 465 mm with CI or R.S.bracket CP waste 40 mm dria flexible PVC waste pipe with wall mounted C.P.mixing fitting with switch neck including painting of bracket cutting and making good the walls and floors complete.				
	a) Stainless steek Sink-Jayna				
	b) Swived neck mixer cum euro sapphire	each	1		
21	'Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. (external work):				
	'15 mm dia. nominal bore	mtr	30		
22	'Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. (external work):				
	'20 mm dia. nominal bore	mtr	5		
23	'Providing and fixing Polyethelene-Aluminium-Polyethelene (PE-AL-PE) Compsite Pressure Pipes conforming to IS - 15450 U.V. stabilized with carbon black having thermal stability forhot & cold water supply, capable to withstand temperature upto 80 degree C including all special fittings of composite material (engineering plastic bend and brass inserts wherever required) eg. Elbows, tees, reducers, couplers & connectors etc. with clamps at 1.00 metre spacing. This includes the cost of cutting chases and including testing of joints complete as per direction of the engineer-in-charge.Concealed work including cutting chases and making good the walls etc.				
	'1216 (16 mm OD) pipe.	mtr	20		
24	'Providing and fixing Polyethelene-Aluminium-Polyethelene (PE-AL-PE) Compsite Pressure Pipes conforming to IS - 15450 U.V. stabilized with carbon black having thermal stability forhot & cold water supply, capable to withstand temperature upto 80 degree C including all special fittings of composite material (engineering plastic bend and brass inserts wherever required) eg. Elbows, tees, reducers, couplers & connectors etc. with clamps at 1.00 metre spacing. This includes the cost of cutting chases and including testing of joints complete as per direction of the engineer-in-charge.'Concealed work including cutting chases and making good the walls etc.				
	'1620 (20 mm OD) pipe.	mtr	30		
25	'Cutting holes upto 15 x 15 cm in RCC floors and roofs for passing drain pipe etc., and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) including finishing complete so as to make it leak proof.	each	6		

26	Providing and fixing white vitreous china extended wall mounting water closet of size 780 x 370 x 690 mm of approved shape including providing and fixing white vitreous china cistern with dual flush fittings of flushing capacity 3 litre per 6 litre adjustable to 4 litre/8 litre including seat cover and cistern fittings nuts and bolts and gasket etc complete.	each	2		
27	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931.				
	'a) 15 mm nominal bore.	each	2		
28	'Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
	'a) 15 mm nominal bore.	each	18		
29	'Providing and fixing toilet paper holder :				
	'C.P. brass	each	3		
30	'Providing and fixing 600 x 450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	each	3		
31	Providing and fixing white vitreous china flat back wash basin without pedestal 550 x 400 with CI/ MS bracket and studs with single pillar tap with 32 mm dia, CP brass waste with CP cast brass bottle trap with pipe to wall flange and rubber adopter including cutting and making good the walls and floor complete.				
	a) wash basin- Hinndware w				
	b) Pillar tap- Gem Euro Sapphire or equivalent				
	c) Bottle tap- Gem Euro Sapphire or equipment	each	3		
32	Providing and fixing ablution spray unit comprising of C.P. flexible base, spray wall flange etc complete.	each	2		
33	Providing and fixing standard CP towel ring with CP bracket fixed to wall with flanges and CP brass screws.				
	a) CP towel ring Gem or equivalent.	each	2		
34	'Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12mm thick bed of Cement Mortar 1:3 (1 Cement : 3 Coarse sand) and jointing with grey cement slurry @ 3.3 Kg. per sqm. including pointing in white cement mixed with pigment of matching shade complete.	sqm	68		
35	Providing and fixing C.P.wall mixer with conversion bend towall for overhead shower head with CP shower arm with swivel joint C.P. brass wall flanges complete including cutting and making good the wall wherever required.				
	a) Wall mixture Jaguar				
	b) Shower and shower arm Jaguar	each	2		

36	'Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	sqm	70		
37	'Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade.				
	Old work (one or more coats)	sqm	70		
38	'Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :				
	'For pipes 100 to 230 mm diameter	each	4		
39	'Constructing brick masonry road gully chamber 50 x 45 x 60 cm with bricks of class designation 75 in cement mortar 1:4 (1 cement : 4 fine sand) including 500 x 450 mm precast R.C.C. horizontal grating with frame complete as per standard design :				
	'With F.P.S. bricks	each	2		
40	Disposal of Malba building rubbish by mechanical transport including loading unloading and stacking complete within all lead 4 lift.	cum	9		
41	Precast terrazo tiles 22 mm thick with graded marble chips of size upto 12 mm laid in floors, and landings, jointed with neat cement slurry mixed with pigment to match the shade of the tiles, including rubbing and polishing complete with precast tiles on 20mm thick bed of cement mortar 1:4 (1 cement : 4 coarse sand) :				
	Ordinary cement without any pigment.	sqm	5		
42	Precast terrazo tiles 22 mm thick with graded marble chips of size upto 12 mm in skirting and risers of steps not exceeding 30 cm in height on 12 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) jointed with neat cement slurry mixed with pigment to match the shade of the tiles, including rubbing and polishing complete with tiles of :				
	Ordinary cement without any pigment.	sqm	3		
43	Providing and fixing ball valve (brass) of approved quality complete, High or low pressure, with plastic floats complete :				
	15 mm nominal bore	each	2		
44	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :				
	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture.	sqm	30		

45	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised - PVC rain water pipes conforming to IS:13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion.				
	Coupler				
	110 mm	each	7		
46	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised - PVC rain water pipes conforming to IS:13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion.				
	Bend 87.5 degree				
	110 mm bend	each	11		
47	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for unplasticised - PVC rain water pipes conforming to IS:13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion.				
	Single tee without door				
	110 x 110 x 110 mm	each	2		
48	Providing and fixing P-Trap of unplasticized rigid PVC pipe for drainage or water closet including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion.	each	5		
49	Providing and fixing on wall face unplasticised - Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. (i) Single socketed pipes				
	110 mm diameter	mtr	85		
50	Providing and laying Vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption's less than 0.08% and conforming to IS: 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand) including grouting the joints with white cement and matching pigments etc. complete.				
	Size of Tile 50x50 cm.	sqm	16		

51	<p>Providing and fixing at all height false ceiling including providing and fixing of frame work made of special sections power pressed from M.S. sheet and galvanised in accordance with zinc coating of grade 350 as per IS:277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 22 mm and 37 mm at 1200 mm centre to centre one flange fixed to the ceiling with dash fastener 12.5 mm dia x 40 mm long with 6 mm dia bolts to the angle hangers of 25 x 25 x0.55 mm of required length, and other end of angle hanger being fixed with nut and bolts to G.I. channels 45 mm x 15 mm x 0.9 mm running at the rate of 1200 mm centre to centre to which the ceiling section 0.5 mm thick botton wedge of 80 mm with tapered flanges of 26 mm each having clips of 10.5 mm at 450 mm centre to centre shall be fixed in a direction perpendicular to G.I. channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction including fixing the gypsum board with ceiling section and perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall / partition with the help of rawl plugs at 450 mm centre to centre with 25 mm long drive-all screws @ 230 mm interval including jointing and fixing to a flush finish of tapered and square edges of the board with recommended filler, jointing tapes, finisher and two coats of primer suitable for board as per manufactures specification and also including the coat of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed all complete as per drawing and specification and direction of the Engineer-in-Charge but excluding the cost of painting with .</p>				
	12.5 mm thick tapered edge gypsum moisture resistant board	sqm	75		
	Total				

**Executive Engineer
University Works Division**